

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
14 to 15	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14 to 15	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15-	104; Lunch Room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ORA						
15	Office Door handles	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Water cooler	Top of lid, push levers (top and bottom surfaces)	every use			
15	Recycling	Shred-It bins, Recycling Bin Lids,	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Stationery Spot	Copier touchpad & lid touch points, Staplers, Shredder	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum	Morning	Afternoon	Evening
			Frequency			
13 to 14	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13 to 14	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Interstitial Door	Door handles (in)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Lobby Admin Stations	Printers/Copiers	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Minimum		
				Morning	Afternoon	Evening
12 to 13	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12 to 13	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12 to 13	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Admin desk	Top ledge of desk	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lobby	Common chairbacks & armrests	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Bathrooms	Outer door handles (in/out), stall door handle & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Stationery room	Copier touchpad & lid touch points, Paper cutter handle	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lab doors (North)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lab doors (South)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lab handwashing sink, North	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lab handwashing sink, South	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12 to 13	Lab Emergency Stairwell	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12 to 13	Lab Emergency Stairwell	Door handles (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13-	301; Walk-in coldroom, North	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	East hallway Autoclave	Touchscreen	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13-	217; MARC (SE corner)	Outer door handle, intercom buttons, pen, metal tabletop	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13-	211; Microscopy room	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13-	201; Walk-in coldroom, South	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13-	121; Storage room	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13-	207; Equipment Corridor	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Meeting room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	every use			
13	Water cooler	Top of lid, push levers (top and bottom surfaces)	every use			
13	Ice machine	Door handle & scoop handle	3x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lab Elevators	Call buttons (2 sets)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Eye Wash/Shower	Handles	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Coat Rack		3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Mailbox		3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
11 to 12	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11 to 12	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11 to 12	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Meeting room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	every use			
12	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Admin Station	Top ledge of her desk	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Umbrella hook area	Railings	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Student area	Printer contact points	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Student area	Phone contact points	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Recycling	Shred-it bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Coat Rack		3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Interstitial Door	Door handles (in)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
10 to 11	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10 to 11	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10 to 11	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Admin desk (near Christine)	Top ledge of desk	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Bathrooms	Outer door handles (in/out), stall door handle & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Coat Rack		3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Meeting room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	every use			
11	Water cooler	Top of lid, push levers (top and bottom surfaces)	every use			
11	Stationery room	Copier buttons & lid contact points, Paper cutter handle	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	121; Storage room	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lab doors (North)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Lab doors (South)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Lab handwashing sink, North	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Lab handwashing sink, South	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	301; Microscope room	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	205; Equipment room	2x door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	205; Dark room in middle	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	315; Viral Vector Lab	Outer door handle, intercom buttons, pen, metal tabletop	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Lab bathrooms (x2)	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11 to 12	Lab Emergency Stairwell	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11 to 12	Lab Emergency Stairwell	Door handles (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	215; Microscope room	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Ice machine	Door handle & scoop handle	3x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Lab Elevators	Call buttons (2 sets)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	209; Dry ice room	Grey dry ice box lid & latches	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11-	207; Walk-in coldroom	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Eye Wash/Shower	Handles	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	North hallway Autoclave (VVL)	Touchscreen	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
9 to 10	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9 to 10	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9 to 10	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Stairwell #2	Door handles (in/out)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Stationery room	Used as Lunchroom - tables/chairs - need to clean out	every use			
10	Water cooler	Top of lid, push levers (top and bottom surfaces)	every use			
10	Umbrella hook area	Railings	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Interstitial Door	Door handles (in)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
8 to 9	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8 to 9	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8 to 9	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Admin desk (Lenel)	Top ledge of desk	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Bathrooms	Outer door handles (in/out), stall door handle & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-	116; Meeting room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	every use			
9	Stationery room	Paper cutter handle	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-	121; Storage room	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lab doors (North)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lab doors (South)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lab handwashing sink, North	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lab handwashing sink, South	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-	203; Equipment Corridor	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-	211; Equipment Corridor	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-	305; Equipment Corridor	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lab bathrooms (x2)	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9 to 10	Lab Emergency Stairwell	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9 to 10	Lab Emergency Stairwell	Door handles (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Ice machine	Door handle & scoop handle	3x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Lab Elevators	Call buttons (2 sets)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-	205; Walk-in coldroom	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-	307; Walk-in coldroom	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Eye Wash/Shower	Handles	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
8 to 9	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8 to 9	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8 to 9	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8-	106; Meeting room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	every use			
8	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Stationery room	Copier/printer touchpad & lid touch points, Paper cutter handle	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Umbrella hook area	Railings	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Interstitial Door	Door handles (in)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)



Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
7 to 8	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7 to 8	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7 to 8	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Admin Desk	Top ledge of desk	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Bathrooms	Outer door handles (in/out), stall door handle & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7-	116; Meeting room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	every use			
7	Stationery room	Copier/printer touchpad & lid touch points, Paper cutter handle	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lab doors (North)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lab doors (South)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lab handwashing sink, North	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lab handwashing sink, South	Soap dispenser push lever, paper towel metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7-	219; Freezer Room	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lab bathrooms (x2)	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7 to 8	Lab Emergency Stairwell	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7 to 8	Lab Emergency Stairwell	Door handles (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Ice machine	Door handle & scoop handle	3x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Lab Elevators	Call buttons (2 sets)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7-	209; Walk-in coldroom	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Eye Wash/Shower	Handles	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
6 to 7	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6 to 7	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6 to 7	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Umbrella hook area	Railings	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Interstitial Door	Door handles (in)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
5 to 6	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5 to 6	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5 to 6	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Bathrooms	Outer door handles (in/out), stall door handle & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Stationery room	Copier/printer touchpad & lid touch points, Paper cutter handle, Mailbox	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lunch Tables	(2x) tables and chairs	every use			
5	Water cooler	Top of lid, push levers (top and bottom surfaces)	every use			
5	Lab doors (North)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lab doors (South)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lab handwashing sink, North	Soap dispenser push lever, paper towel metal panel, spray down sink	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lab handwashing sink, South	Soap dispenser push lever, paper towel metal panel, spray down sink	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5-	203; Equipment Corridor	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lab bathrooms (x2)	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5 to 6	Lab Emergency Stairwell	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5 to 6	Lab Emergency Stairwell	Door handles (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Ice machine	Door handle & scoop handle	3x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Lab Elevators	Call buttons (2 sets)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5-	305; Walk-in coldroom	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Eye Wash/Shower	Handles	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
4 to 5	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4 to 5	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4 to 5	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Stationery room	Copier/printer touchpad & lid touch points, Paper cutter handle, Mailbox	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Lunch Table	tables and chairs	every use			
4	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Umbrella hook area	Railings	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Interstitial Door	Door handles (in)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
3 to 4	Spiral Staircase	Hand rails and flat arm rest areas	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3 to 4	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3 to 4	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Bathrooms	Outer door handles (in/out), stall door handle & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Water cooler	Top of lid, push levers (top and bottom surfaces)	every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lab doors (North)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lab doors (South)	Push levers (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lab handwashing sink, North	Soap dispenser push lever, paper towel metal panel,	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lab handwashing sink, South	Soap dispenser push lever, paper towel metal panel,	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3-	203; Equipment Corridor	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3-	303; Equipment Corridor	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3-	211; Equipment Corridor	Door handles (in/out), light switch	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lab bathrooms (x2)	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3 to 4	Lab Emergency Stairwell	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3 to 4	Lab Emergency Stairwell	Door handles (in/out), card reader	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Ice machine	Door handle & scoop handle	3x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Lab Elevators	Call buttons (2 sets)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3-	305; Walk-in coldroom	Outer door handle, light switch, interior push button exit	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Eye Wash/Shower	Handles	1x, every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
2 to 3	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2 to 3	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2-	113; Meeting room	Door handles (in/out), light switch, tabletops, chairbacks & armrests	every use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2-	0007; Stationery room	Copier/printer touchpad & lid touch points, Paper cutter handle, Mailbox	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	North doors to Stairwell (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Exit Doors Stairwell) (1/2)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Bathrooms	Outer door handles (in/out) & lock	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
G to 2	Stairwell #1	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
G to 2	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Stairwell #1	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Stairwell #4 (Lunch Room)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1 to 3	Lab Emergency Stairwell (#4)	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1 to 3	Lab Emergency Stairwell (#4)	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Lobby	Tables and Chair near main entrance	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Near Stairwell #1	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Lobby Phone Across Chantel	Phone and Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Fire Door Handles (next to Chantel)	Pushbar handles	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Conference Room Phones	Phones outside either entrance to Diamond Lecture Theatre	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Mens/Womens Bathrooms	Outer door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Lab Elevators	Call buttons (2 sets) and hand Sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1	Lunch room	tabletops, chairbacks & armrests	every use			

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
B1 to G	Stairwell #2	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1 to G	Stairwell #4	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Stairwell #2	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Stairwell #4	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Stairwell #3	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Stairwell #5	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Lobby	Door Handles (in/out) Emergency Exits	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Mens/Womens Bathrooms	Outer door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Recycling	Shred-It bins, Recycling Bin Lids	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Lab Elevators	Call buttons (2 sets) and hand Sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1-	116; Lunch room	tabletops, chairbacks & armrests	every use			
B1	Mailbox		3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	East Entry	Door Handle (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1-	106; Bike Room	Door Handle (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Loading bay Door (S&R)	Door Handle (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1-	128; Tank Farm	Door Handle (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1-	103; LN2 storage	Door Handle (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Garbage Compactor	Door handle (in/out); Push Button Controls	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B1	Cardboard Box Compactor	Push Button Controls	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)



Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
B2 to B1	Stairwell #3	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B2 to B1	Stairwell #5	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B2	Stairwell #3	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B2	Stairwell #5	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B2	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B2	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B2	Lobby	Door Handles (in/out) North and South Side.	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)

Floor	Room	Task	Minimum Frequency	Morning	Afternoon	Evening
B3 to B2	Stairwell #3	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B3 to B2	Stairwell #5	Hand rails	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B3 to B2	Stairwell #3	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B3 to B2	Stairwell #5	Door handles (in/out)	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B3 to B2	Lobby	Elevator buttons and metal panel	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B3 to B2	Lobby	Hand sanitizer dispenser push lever	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B3 to B2	Lobby	Door Handles (in/out) North and South Side.	3x	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you notice any wall-mounted sanitizer dispensers are empty, please contact Tom Stodola (tstodola@bccrc.ca)