

Full Publication List – Dr. R. Keith Humphries

Coulombe P, Paliouras GN, Clayton A, Hussainkhel A, Fuller M, Jovanovic V, Dauphinee S, Umlandt P, Xiang P, Kyle AH, Minchinton AI, **Humphries RK**, Hoodless PA, Parker JDK, Wright JL & Karsan A. Endothelial Sash1 Is Required for Lung Maturation through Nitric Oxide Signaling. *Cell Rep* 27:1769-1780 e1764, 2019. [View Abstract](#)

Garg S, Reyes-Palomares A, He L, Bergeron A, Lavalley VP, Lemieux S, Gendron P, Rohde C, Xia J, Jagdhane P, Muller-Tidow C, Lipka DB, Imren S, **Humphries RK**, Waskow C, Vick B, Jeremias I, Richard-Carpentier G, Hebert J, Sauvageau G, Zaugg J, Barabe F & Pabst C. Hepatic leukemia factor is a novel leukemic stem cell regulator in DNMT3A, NPM1, and FLT3-ITD triple-mutated AML. *Blood* 134: 263-276, 2019. [View Abstract](#)

Jyotsana N, Sharma A, Chaturvedi A, Budida R, Scherr M, Kuchenbauer F, Lindner R, Noyan F, Suhs KW, Stangel M, Grote-Koska D, Brand K, Vornlocher HP, Eder M, Thol F, Ganser A, **Humphries RK**, Ramsay E, Cullis P & Heuser M. Lipid nanoparticle-mediated siRNA delivery for safe targeting of human CML in vivo. *Ann Hematol* 98: 1905-1918, 2019. [View Abstract](#)

Knapp DJHF, Hammond CA, Hui T, van Loenhout MTJ, Wang F, Aghaeepour N, Miller PH, Moksa M, Rabu GM, Beer PA, Pellacani D, **Humphries RK**, Hansen C, Hirst M & Eaves CJ. Single-cell analysis identifies a CD33(+) subset of human cord blood cells with high regenerative potential. *Nat Cell Biol* 20:710-720, 2018. [View Abstract](#)

Knapp DJHF, Hammond CA, Hui T, van Loenhout MTJ, Wang F, Aghaeepour N, Miller PH, Moksa M, Rabu GM, Beer PA, Pellacani D, **Humphries RK**, Hansen C, Hirst M & Eaves CJ. Single-cell analysis identifies a CD33+ subset of human cord blood cells with high regenerative potential. *Nature Cell Biology* 20:710-720, 2018. [View Abstract](#)

Ngom M, Imren S, Maetzig T, Adair JE, Knapp DJHF, Chagraoui J, Fares I, Bordeleau ME, Sauvageau G, Lebulch P, Eaves C & **Humphries RK**. UM171 enhances lentiviral gene transfer and recovery of primitive human hematopoietic cells. *Mol Ther Methods Clin Dev* 10:156-164, 2018. [View Abstract](#)

Schneider E, Staffas A, Rohner L, Malmberg ED, Ashouri A, Krowiorz K, Pochert N, Miller C, Wei SY, Arabanian L, Buske C, Dohner H, Bullinger L, Fogelstrand L, Heuser M, Dohner K, Xiang P, Ruschmann J, Petriv OI, Heravi-Moussavi A, Hansen CL, Hirst M, **Humphries RK**, Rouhi A, Palmqvist L & Kuchenbauer F. Micro-ribonucleic acid-155 is a direct target of Meis1, but not a driver in acute myeloid leukemia. *Haematologica* 103:246-255, 2018. [View Abstract](#)

Bhayadia R, Krowiorz K, Haetscher N, Jammal R, Emmrich S, Obulkasim A, Fiedler J, Schwarzer A, Rouhi A, Heuser M, Wingert S, Bothur S, Dohner K, Matzig T, Ng M, Reinhardt D, Dohner H, Zwaan CM, van den Heuvel EM, Heckl D, Fornerod M, Thum T, **Humphries RK**, Rieger MA, Kuchenbauer F & Klusmann JH. Endogenous Tumor Suppressor microRNA-193b: Therapeutic and Prognostic Value in Acute Myeloid Leukemia. *J Clin Oncol* 36: 1007-1016, 2018. [View abstract](#)

Mingay M, Chaturvedi A, Bilenky M, Cao Q, Jackson L, Hui T, Moksa M, Heravi-Moussavi A, **Humphries RK**, Heuser M & Hirst M. Vitamin C-induced epigenomic remodelling in IDH1 mutant acute myeloid leukaemia. *Leukemia* 32: 11-20, 2018 [View Abstract](#)

Jyotsana N, Sharma A, Chaturvedi A, Scherr M, Kuchenbauer F, Sajti L, Barchanski A, Lindner R, Noyan F, Suhs KW, Grote-Koska D, Brand K, Vornlocher HP, Stanulla M, Bornhauser B, Bourquin JP, Eder M, Thol F, Ganser A, **Humphries RK**, Ramsay E, Cullis P & Heuser M. RNA interference efficiently targets human leukemia driven by a fusion oncogene in vivo. *Leukemia* 32: 224-226, 2018. [View PubMed Link](#)

Xiang P, Wei W, Hofs N, Clemans-Gibbon J, Maetzig T, Lai CK, Dhillon I, May C, Ruschmann J, Schneider E, Rosten P, Hu K, Kuchenbauer F, Hoodless PA & **Humphries RK**. A knock-in mouse strain facilitates dynamic tracking and enrichment of MEIS1. *Blood Adv* 1:2225-2235, 2017. [View Abstract](#)

Schneider E, Staffas A, Röhner L, Malmberg ED, Ashouri A, Krowiorz K, Pochert N, Miller C, Wei SY, Arabanian L, Buske C, Döhner H, Bullinger L, Fogelstrand L, Heuser M, Döhner K, Xiang P, Ruschmann J, Petriv OI, Heravi-Moussavi A, Hansen CL, Hirst M, **Humphries RK**, Rouhi A, Palmqvist L & Kuchenbauer F. MicroRNA-155 is a direct target of Meis1, but not a driver in acute myeloid leukemia. *Haematologica* 103: 246-255, 2017. [View Abstract](#)

Lai CK, Norddahl GL, Maetzig T, Rosten P, Lohr T, Sanchez Milde L, von Krosigk N, Docking TR, Heuser M, Karsan A, **Humphries RK**. Meis2 as a critical player in MN1-induced leukemia. *Blood Cancer J*, 7: e613, 2017. [View Abstract](#)

Maetzig T, Ruschmann J, Sanchez Milde L, Lai CK, von Krosigk N & **Humphries RK**. Lentiviral fluorescent genetic barcoding for multiplex fate tracking of leukemic cells. *Mol Ther Methods Clin Dev* 6: 54-65, 2017. [View Abstract](#)

Mohr S, Doebele C, Comoglio F, Berg T, Beck J, Bohnenberger H, Alexe G, Corso J, Ströbel P, Wachter A, Beissbarth T, Schnütgen F, Cremer A, Haetscher N, Göllner S, Rouhi A, Palmqvist L, Rieger MA, Schroeder T, Bönig H, Müller-Tidow C, Kuchenbauer F, Schütz E, Green AR, Urlaub H, Stegmaier K, **Humphries RK**, Serve H & Oellerich T. Hoxa9 and Meis1 cooperatively induce addiction to Syk signaling by suppressing miR-146a in acute myeloid leukemia. *Cancer Cell* 31: 549-562, 2017. [View Abstract](#)

Liu X, Rothe K, Yen R, Fruhstorfer C, Maetzig T, Chen M, Forrest D, **Humphries RK** & Jiang X. A Novel AHI-1-BCR-ABL-DNM2 Complex Regulates Leukemic Properties of Primitive CML Cells through Enhanced Cellular Endocytosis and ROS-mediated Autophagy. *Leukemia* 31: 2376-2387, 2017. [View Abstract](#)

Cusan M, Vegi NM, Mulaw MA, Bamezai S, Kaiser LM, Deshpande AJ, Greif PA, Quintanilla-Fend L, Göllner S, Müller-Tidow C, **Humphries KR**, Armstrong SA, Hiddemann W, Feuring-Buske M & Buske C. Controlled stem cell amplification by HOXB4 depends on its unique proline-rich region near the N terminus. *Blood* 129: 319-323, 2017. [View Abstract](#)

Gasparetto M, Pei S, Minhajuddin M, Khan N, Pollyea DA, Myers JR, Ashton JM, Becker MW, Vasiliou V, **Humphries KR**, Jordan CT & Smith CA. Targeted therapy for a subset of acute myeloid leukemias that lack expression of aldehyde dehydrogenase 1A1. *Haematologica* 102:1054-1065, 2017. [View Abstract](#)

Maetzig T, Ruschmann J, Lai CK, Ngom M, Imren S, Rosten P, Norddahl GL, von Krosigk N, Milde LS, May C, Selich A, Rothe M, Dhillon I, Schambach A & **Humphries RK**. A lentiviral fluorescent genetic barcoding system for flow cytometry-based multiplex tracking. *Mol Ther* 25: 606-620, 2017. [View Abstract](#)

Miller PH, Rabu G, MacAldaz M, Knapp DJ, Cheung AM, Dhillon K, Nakamichi N, Beer PA, Shultz LD, **Humphries RK** & Eaves CJ. Analysis of parameters that affect human hematopoietic cell outputs in mutant c-kit-immunodeficient mice. *Exp Hematol* 48: 41-49, 2017. [View Abstract](#)

Knapp DJ, Hammond CA, Aghaepour N, Miller PH, Pellacani D, Beer PA, Sachs K, Qiao W, Wang W, **Humphries RK**, Sauvageau G, Zandstra PW, Bendall SC, Nolan GP, Hansen C & Eaves CJ. Distinct signaling programs control human hematopoietic stem cell survival and proliferation. *Blood* 129: 307-318, 2017. [View Abstract](#)

Krowiorz K, Ruschmann J, Lai C, Ngom M, Maetzig T, Martins V, Scheffold A, Schneider E, Pochert N, Miller C, Palmqvist L, Staffas A, Mulaw M, Bohl SR, Buske C, Heuser M, Kraus J, O'Neill K, Hansen CL, Petriv OI, Kestler H, Döhner H, Bullinger L, Döhner K, **Humphries RK**, Rouhi A & Kuchenbauer F. MiR-139-5p is a potent tumor suppressor in adult acute myeloid leukemia. *Blood Cancer J*. 6:e508, 2016. [PubMed Link](#)

Abraham A, Kim YS, Zhao H, **Humphries K** & Persons DA. Increased Engraftment of Human Short Term Repopulating Hematopoietic Cells in NOD/SCID/IL2rgammanull Mice by Lentiviral Expression of NUP98-HOXA10HD. *PLoS One* 11:e0147059, 2016. [View Abstract](#)

Sharma A, Jyotsana N, Lai CK, Chaturvedi A, Gabdoulline R, Görlich K, Murphy C, Blanchard JE, Ganser A, Brown E, Hassell JA, **Humphries RK**, Morgan M & Heuser M. Pyrimethamine as a Potent and Selective

Inhibitor of Acute Myeloid Leukemia Identified by High-throughput Drug Screening. *Curr Cancer Drug Targets*. 16: 818-828, 2016. [View Abstract](#)

Abraham A, Kim YS, Zhao H, **Humphries K** & Persons DA. Increased Engraftment of Human Short Term Repopulating Hematopoietic Cells in NOD/SCID/IL2rgammanull Mice by Lentiviral Expression of NUP98-HOXA10HD. *PLoS One* 11:e0147059, 2016. [View Abstract](#)

Sharma A, Jyotsana N, Lai CK, Chaturvedi A, Gabdoulline R, Gorlich K, Murphy C, Blanchard JE, Ganser A, Brown E, Hassell JA, **Humphries RK**, Morgan M & Heuser M. High-throughput drug screening identifies pyrimethamine as a potent and selective inhibitor of acute myeloid leukemia. *Curr Cancer Drug Targets* 16:818-828, 2016. [View Abstract](#)

Miller ME, Rosten P, Lemieux ME, Lai C & **Humphries RK**. Meis1 is Required for Adult Mouse Erythropoiesis, Megakaryopoiesis and Hematopoietic Stem Cell Expansion. *PLoS One*. 2016 Mar 17;11(3):e0151584. doi: 10.1371/journal.pone.0151584. eCollection 2016. [View Abstract](#)

Pabst C, Bergeron A, Lavallée VP, Yeh J, Gendron P, Norrdahl GL, Krosi J, Boivin I, Deneault E, Simard J, Imren S, Boucher G, Eppert K, Herold T, Bohlander SK, **Humphries K**, Lemieux S, Hébert J, Sauvageau G & Barabé F. GPR56 identifies primary human acute myeloid leukemia cells with high repopulating potential in vivo. *Blood* 127:2018-27, 2016 [View Abstract](#)

Samudio I, Rezvani K, Shaim H, Hofs E, Ngom M, Bu L, Liu G, Lee JT, Imren S, Lam V, Poon GF, Ghaedi M, Takei F, **Humphries K**, Jia W & Krystal G. UV-inactivated HSV-1 potently activates NK cell killing of leukemic cells. *Blood* 127: 2575-86, 2016 [View Abstract](#)

Gentner B, Pochert N, Rouhi A, Boccalatte F, Plati T, Berg T, Sun SM, Mah SM, Mirkovic-Hösle M, Ruschmann J, Muranyi A, Leierseder S, Argiropoulos B, Starczynowski DT, Karsan A, Heuser M, Hogge D, Camargo FD, Engelhardt S, Döhner H, Buske C, Jongen-Lavrencic M, Naldini L, **Humphries RK** & Kuchenbauer F. MicroRNA-223 dose levels fine tune proliferation and differentiation in human cord blood progenitors and acute myeloid leukemia. *Exp Hematol* 43:858-868, 2015 [View Abstract](#)

Sharma A, Yun H, Jyotsana N, Chaturvedi A, Schwarzer A, Yung E, Lai CK, Kuchenbauer F, Argiropoulos B, Gorlich K, Ganser A, **Humphries RK** & Heuser M. Constitutive Irf8 expression inhibits AML by activation of repressed immune response signaling. *Leukemia* 29: 157-68, 2015. [View Abstract](#)

Lai CK, Moon Y, Kuchenbauer F, Starczynowski DT, Argiropoulos B, Yung E, Beer P, Schwarzer A, Sharma A, Park G, Leung M, Lin G, Vollett S, Fung S, Eaves CJ, Karsan A, Weng AP, **Humphries RK** & Heuser M. Cell fate decisions in malignant hematopoiesis: leukemia phenotype is determined by distinct functional domains of the MN1 oncogene. *PLoS One* 19: e112671, 2014. [View Abstract](#)

Imren S, Heuser M, Gasparetto M, Beer PA, Norrdahl GL, Xiang P, Chen L, Berg T, Rhyasen GW, Rosten P, Park G, Moon Y, Weng AP, Eaves CJ, **Humphries RK**. Modeling de novo leukemogenesis from human cord blood with MN1 and NUP98HOXD13. *Blood* 124:3608-12, 2014. [View Abstract](#)

Fares I, Chagraoui J, Gareau Y, Gingras S, Ruel R, Mayotte N, Csaszar E, Knapp DJ, Miller P, Ngom M, Imren S, Roy DC, Watts KL, Kiem HP, Herrington R, Iscove NN, **Humphries RK**, Eaves CJ, Cohen S, Marinier A, Zandstra PW, Sauvageau G. Cord blood expansion. Pyrimidoindole derivatives are agonists of human hematopoietic stem cell self-renewal. *Science* 345:6203, 2014. [View Abstract](#)

Hou J, Wei W, Saund RS, Xiang P, Cunningham TJ, Yi Y, Alder O, Lu DY, Savory JG, Krentz NA, Montpetit R, Cullum R, Hofs N, Lohnes D, **Humphries RK**, Yamanaka Y, Duyster G, Saijoh Y, Hoodless PA. A regulatory network controls nephrocan expression and midgut patterning. *Development* 141: 3772-81, 2014. [View Abstract](#)

Yun H, Damm F, Yap D, Schwarzer A, Chaturvedi A, Jyotsana N, Lubbert M, Bullinger L, Dohner K, Geffers R, Aparicio S, **Humphries RK**, Ganser A & Heuser M. Impact of MLL5 expression on decitabine efficacy and DNA methylation in acute myeloid leukemia. *Haematologica* 99: 1456-64, 2014. [View Abstract](#)

Watts KL, Beard BC, Wood BL, Trobridge GD, **Humphries RK**, Adams AB, Nelson V & Kiem HP. No evidence of clonal dominance after transplant of HOXB4-expanded cord blood cells in a nonhuman primate model. *Exp Hematol* 42: 497-504 2014. [View Abstract](#)

Nguyen LV, Makarem M, Carles A, Moksa M, Kannan N, Pandoh P, Eirew P, Osako T, Kardel M, Cheung AMS, Kennedy W, Tse K, Zeng T, Zhao Y, **Humphries RK**, Aparicio S, Eaves C & Hirst M. Clonal analysis via barcoding reveals diverse growth and differentiation of transplanted mouse and human mammary stem cells. *Cell Stem Cell* 14: 253-263, 2014. [View Abstract](#)

Berg T, Thoene S, Yap D, Wee T, Schoeler N, Rosten P, Lim E, Bilenky M, Mungall A, Oellerich T, Lee S, Lai CK, Umlandt P, Salmi A, Chang H, Yue L, Lai D, Cheng SW, Morin RD, Hirst M, Serve H, Marra MA, Morin GB, Gascoyne RD, Aparicio SA & **Humphries RK**. A transgenic mouse model demonstrating the oncogenic role of mutations in the polycomb-group gene EZH2 in lymphomagenesis. *Blood* 123: 3914-3924, 2014. [View Abstract](#)

Smith C, Gasparetto M, **Humphries K**, Pollyea DA, Vasiliou V, Jordan CT. Aldehyde dehydrogenases in acute myeloid leukemia. *Ann N Y Acad Sci* 1310: 58-68, 2014. [View Abstract](#)

Lehnertz B, Pabst C, Su L, Miller M, Liu F, Yi L, Zhang R, Kros J, Yung E, Kirschner J, Rosten P, Underhill TM, Jin J, Hébert J, Sauvageau G, **Humphries RK**, and Rossi FM. The methyltransferase G9a regulates HoxA9-dependent transcription in AML. *Genes Dev* 28: 317-327, 2014. [View Abstract](#)

Moon Y, Horsman DE, **Humphries RK** & Park G. A novel translocation involving RUNX1 and HOXA gene cluster in a case of acute myeloid leukemia with t(7;21)(p15;q22). *Immune Netw* 13: 222-6, 2013. [View Abstract](#)

Copley MR, Babovic S, Benz C, Knapp DJHF, Beer PA, Kent DG, Wohrer S, Treloar DQ, Day C, Rowe K, Mader H, Kuchenbauer F, **Humphries RK** & Eaves CJ. The Lin28b-let-7-Hgma2 axis determines the higher self-renewal potential of fetal haematopoietic stem cells. *Nat Cell Biol* 15: 916-925, 2013.

Watts KL, Delaney C, Nelson V, Trobridge GD, Beard BC, **Humphries RK**, Kiem HP. CD34+ expansion with Delta-1 and HOXB4 promotes rapid engraftment and transfusion independence in a *Macaca nemestrina* cord blood transplant model. *Mol Ther* 21: 1270-8, 2013. [View Abstract](#)

Miller PH, Cheung AM, Beer PA, Knapp DJ, Dhillon K, Rabu G, Rostamirad S, **Humphries RK**, Eaves CJ. Enhanced normal short term human myelopoiesis in mice engineered to express human-specific myeloid growth factors. *Blood* 121: e1-4, 2013. [View Abstract](#)

Sloma I, Imren S, Beer PA, Zhao Y, Lecault V, Leung D, Raghuram K, Brimacombe C, Lambie K, Piret J, Hansen C, **Humphries RK**, Eaves CJ. Ex vivo expansion of normal and chronic myeloid leukemic stem cells without functional alteration using a NUP98HOXA10homeodomain fusion gene. *Leukemia* 27: 159-169, 2013. [View Abstract](#)

Lewis CA, Manning J, Barr C, Peake K, **Humphries RK**, Rossi F & Krieger C. Myelosuppressive conditioning using busulfan enables bone marrow cell accumulation in the spinal cord of a mouse model of Amyotrophic Lateral Sclerosis. *PLOS One* 8:1-10, 2013. [View Abstract](#)

Miller PH, Cheung AM, Beer PA, Knapp DJ, Dhillon K, Rabu G, Rostamirad S, **Humphries RK**, Eaves CJ. Enhanced normal short term human myelopoiesis in mice engineered to express human-specific myeloid growth factors. *Blood* 121: e1-4, 2012. [View Abstract](#)

Giambra V, Jenkins CR, Wang H, Lam SH, Shevchuk OO, Nemirovsky O, Wai C, Gusscott S, Chiang MY, Aster JC, **Humphries RK**, Eaves C & Weng AP. NOTCH1 promotes T cell leukemia-initiating activity by RUNX-mediated regulation of PKC-q and reactive oxygen species. *Nat Med* 18: 1693-8, 2012. [View Abstract](#)

Sloma I, Imren S, Beer PA, Zhao Y, Lecault V, Leung D, Raghuram K, Brimacombe C, Lambie K, Piret J, Hansen C, **Humphries RK**, Eaves CJ. Ex vivo expansion of normal and chronic myeloid leukemic stem cells without functional alteration using a NUP98HOXA10homeodomain fusion gene. *Leukemia* 27: 159-69, 2012 [View Abstract](#)

Jurecic R, Li L & **Humphries RK**. Heterogeneity, self-renewal, and differentiation of hematopoietic stem cells. *Stem Cells Int* 2012:580165, 2012. [View Free PMC Article](#)

Gasparetto M, Sekulovic S, Zakaryan A, Imren S, Kent DG, **Humphries RK**, Vasiliou V & Smith C. Varying levels of aldehyde dehydrogenase activity in adult murine marrow hematopoietic stem cells are associated with engraftment and cell cycle status. *Exp Hematol* 40: 857-66, 2012 [View Abstract](#)

Jenkins CR, Shevchuk OO, Giambra V, Lam SH, Holzenberger M, Pollak M, **Humphries RK** & Weng AP. IGF signaling contributes to malignant transformation of hematopoietic progenitors by the MLL-AF9 oncoprotein. *Exp Hematol* 40: 715-723, 2012. [View Abstract](#)

Rawat VPS, **Humphries RK** & Buske C. Beyond HOX: the role of ParaHox genes in normal and malignant hematopoiesis. *Blood* 120: 519-27, 2012. [View Abstract](#)

Gusscott S, Kuchenbauer F, **Humphries RK** & Weng AP. Notch-mediated repression of miR-223 contributes to IGF1R regulation in T-ALL. *Leuk Res* 36:905-11, 2012. [View Abstract](#)

Manavathi B, Lo D, Bugide S, Dey O, Imren S, Weiss MJ & **Humphries RK**. Functional regulation of pre-B-cell leukemia homeobox interacting protein 1 (PBXIP1/HPIP) in erythroid differentiation. *J Biol Chem* 287: 5600-5614, 2012. [View Abstract](#)

Gasparetto M, Sekulovic S, Brocker C, Tang P, Zakaryan A, Xiang P, Kuchenbauer F, Wen M, Katayoon K, Witty MF, Rosten P, Chen Y, Imren S, Duester G, Thompson DC, **Humphries RK**, Vasiliou V & Smith C. Aldehyde dehydrogenases are regulators of hematopoietic stem cell numbers and B-cell development. *Exp Hematol* 40:318-329, 2012. [View Abstract](#)

Watts KL, Nelson V, Wood BL, Trobridge GD, Beard BC, **Humphries RK** & Kiem HP. Hematopoietic stem cell expansion facilitates multilineage engraftment in a nonhuman primate cord blood transplantation model. *Exp Hematol* 40: 187-196, 2012. [View Abstract](#)

Skrtic M, Sriskanthadevan S, Jhas B, Gebbia M, Wang X, Wang Z, Hurren R, Jitkova Y, Gronda M, Maclean N, Lai CK, Eberhard Y, Bartoszko J, Spagnuolo P, Rutledge AC, Datti A, Ketela T, Moffat J, Robinson BH, Cameron JH, Wrana J, Eaves CJ, Minden MD, Wang JCY, Dick JE, **Humphries K**, Nislow C, Giaever G, Schimmer AD. Inhibition of mitochondrial translation as a therapeutic strategy for acute myeloid leukemia. *Cancer Cell* 20: 674-678, 2011. [View Abstract](#)

Oh IH & **Humphries RK**. Concise review: Multi-dimensional regulation of the hematopoietic stem cell state. *Stem Cells* 30: 82-8, 2011. [View Abstract](#)

Heuser M, Berg T, Kuchenbauer F, Lai CK, Park G, Fung S, Lin G, Leung M, Krauter J, Ganser A, **Humphries RK**. Functional role of BAALC in leukemogenesis. *Leukemia* 36: 532-536, 2012. [View PubMed Link](#)

Sekulovic S, Gasparetto M, Lecault V, Hoesli CA, Kent DG, Rosten P, Wan A, Brookes C, Hansen CL, Piret JM, Smith C, Eaves CJ, **Humphries RK**. Ontogeny stage-independent and high-level clonal expansion in vitro of mouse hematopoietic stem cells stimulated by an engineered NUP98-HOX fusion transcription factor. *Blood* 118: 4366-4376, 2011. [View Abstract](#)

Watts KL, Zhang X, Beard BC, Chiu SY, Trobridge GD, **Humphries RK**, Kiem HP. Differential Effects of HOXB4 and NUP98-HOXA10hd on Hematopoietic Repopulating Cells in a Nonhuman Primate Model. *Hum Gene Ther* 22: 1475-1482, 2011. [View Abstract](#)

Heuser M, Yun H, Berg T, Yung E, Argiropoulos B, Kuchenbauer F, Park G, Hamwi I, Palmqvist L, Lai C, Leung M, Lin G, Chaturvedi A, Thakur BK, Iwasaki M, Bilenky M, Thiessen N, Robertson G, Hirst M, Kent D, Wilson NK, Gottgens B, Eaves C, Cleary ML, Marra M, Ganser A & **Humphries RK**. Cell of origin in AML: Susceptibility to MN1-induced transformation is regulated by the MEIS1/AbdB-like HOX protein complex. *Cancer Cell* 20: 39-52, 2011. [View Abstract](#)

Sekulovic S, Gylfadottir V, Vulto I, Gasparetto M, Even Y, Brookes C, Smith C, Eaves CJ, Lansdorp PM, Rossi FM & **Humphries RK**. Prolonged self-renewal activity unmasks telomerase control of telomere homeostasis and function of mouse hematopoietic stem cells. *Blood* 118: 1766-1773, 2011. [View Abstract](#)

Kuchenbauer F, Mah S, Heuser M, McPherson AW, Ruschmann J, Rouhi A, Berg T, Bullinger L, Agiropoulos B, Morin RD, Lai D, Starczynowski D, Karsan A, Eaves CJ, Watahiki A, Wang Y, Aparicio S, Ganser A, Krauter J, Doehner H, Doehner K, Marra M, Camargo F, Palmqvist L, Buske C & **Humphries RK**. Comprehensive analysis of mammalian miRNA* species and their role in myeloid cells. *Blood* 118: 3350-3358, 2011. [View Abstract](#)

Lecault V, VanInsberghe M, Sekulovic S, Knapp DJ, Wohrer S, Bowden W, Viel F, Mclaughlin T, Jarandehi A, Miller MM, Falconnet D, White AK, Kent DG, Copley MR, Taghipour F, Eaves CJ, **Humphries RK**, Piret JM & Hansen CL. High-throughput analysis of single hematopoietic stem cell proliferation in microfluidic cell culture arrays. *Nat Methods* 8: 581-586, 2011. [View Abstract](#)

Humphries RK. Moving forward with experimental hematology. *Exp Hematol* 39: 607 2011. [View PubMed Link](#)

Humphries RK. Exciting times for our field and the Journal. *Exp Hematol* 39: 271 2011. [View PubMed Link](#)

Petriv OI, Hansen CL, **Humphries RK** & Kuchenbauer F. Probing the complexity of miRNA expression across hematopoiesis. *Cell Cycle* 10: 2-3, 2011. [View Abstract](#)

Yung E, Sekulovic S, Argiropoulos B, Lai CK, Leung M, Berg T, Vollett S, Chang VCD, Wan A, Wong S & **Humphries RK**. Delineating domains and functions of NUP98 contributing to the leukemogenic activity of NUP98-HOX fusions. *Leuk Res* 35: 545-550, 2011. [View Abstract](#)

Ji J, Risueno RM, Hong S, Allan D, Rosten P, **Humphries K** & Bhatia M. Ectopic expression of Nup98-HoxA10 augments erythroid differentiation of human embryonic stem cells. *Stem Cells* 29: 736-741, 2011. [View Abstract](#)

Yap DB, Chu J, Berg T, Schapira M, Cheng SW, Moradian A, Morin RD, Mungall AJ, Meissner B, Boyle M, Marquez VE, Marra MA, Gascoyne RD, **Humphries RK**, Arrowsmith CH, Morin GB & Aparicio SA. Somatic mutations at EZH2 Y641 act dominantly through a mechanism of selectively altered PRC2 catalytic activity, to increase H3K27 trimethylation. *Blood* 117: 2451-2459, 2011. [View Abstract](#)

Yung E, Sekulovic S, Argiropoulos B, Lai C, Leung M, Vollett S, Chang VC-D, Wan A & **Humphries RK**. Delineating the key regions and functions of NUP98 contributing to the leukemogenic activity of NUP98-hox fusions. *Leukemia Research*. *Leuk Res* 35: 545-550, 2010. [View Abstract](#)

Mah S, Buske C, **Humphries R** & Kuchenbauer, F. miRNA*: A Passenger Stranded in RNA-Induced Silencing Complex? *Crit Rev Eukaryot Gene Expr* 20:141-148, 2010. [View Abstract](#)

Even Y, Bennett J, Sekulovic S, So L, Yi L, McNagny KM, **Humphries RK** & Rossi FM. NUP98-HOXA10hd-expanded hematopoietic stem cells efficiently reconstitute bone marrow of mismatched recipients and induce tolerance. *Cell Transplant* 20: 1099-108,2010. [View Abstract](#)

Starczynowski DT, Morin R, McPherson A, Lam J, Chari R, Wegrzyn J, Kuchenbauer F, Hirst M, Tohyama K, **Humphries RK**, Lam WL, Marra M & Karsan A. Genome-wide identification of human microRNAs located in leukemia-associated genomic alterations. *Blood* 117: 595-604, 2010. [View Abstract](#)

Imren S*, Zhang X-B*, **Humphries RK**** & Kiem H-P**. Insights into leukemia initiating cell frequency and self-renewal from a novel canine model of leukemia. *Exp Hematol* 39: 124-32, 2010 (*authors contributed equally; ** co-senior authors) [View Abstract](#)

Watts KL, Delaney C, **Humphries RK**, Bernstein I & Kiem H-P. Combination of HOXB4 and delta-1 ligand improves expansion of cord blood cells. *Blood* 116: 5859-66, 2010. [View Abstract](#)

Starczynowski DT, Kuchenbauer F, Wegrzyn J, Rouhi A, Petriv O, Hansen CL, **Humphries RK** & Karsan A. MicroRNA-146a disrupts hematopoietic differentiation and survival. *Exp Hemato* 39: 167-178, 2010 [View Abstract](#)

Sauvageau G & **Humphries RK**. Medicine. The blood stem cell Holy Grail? *Science* 329: 1291-1292, 2010. [View Abstract](#)

Argiropoulos B, Palmqvist L, Imren S, Rouhi A, Mager DL & **Humphries RK**. Meis1 disrupts the genomic imprint of *Dlk1* in a *NUP98-HOXD13* leukemia model. *Leukemia* 24: 1788-1791, 2010. [View Abstract](#)

Petriv OI, Kuchenbauer F, Delaney AD, Lecault V, White A, Kent D, Marmolejo L, Heuser M, Berg T, Copley M, Ruschmann J, Sekulovic S, Benz C, Kuroda E, Ho V, Antignano F, Halim T, Giambra V, Krystal G, Takei F, Weng AP, Piret J, Eaves C, Marra MA, **Humphries RK** & Hansen CL. Comprehensive microRNA expression profiling of the hematopoietic hierarchy. *Proc Natl Acad Sci USA* 107:15443-8, 2010. [View Abstract](#)

Xiang P, Lo C, Argiropoulos B, Lai CB, Rouhi A, Imren S, Jiang X, Mager D & **Humphries RK**. Identification of E74-like factor 1 (ELF1) as a transcriptional regulator of the Hox co-factor MEIS1. *Exp Hematol* 38: 798-828, 2010. [View Abstract](#)

Eaves CJ & **Humphries RK**. Acute myeloid leukemia and the Wnt pathway. *N Engl J Med* 362: 2326-2327, 2010. [View PubMed Link](#)

Heuser M & **Humphries RK**. Biologic and experimental variation of measured cancer stem cells. *Cell Cycle* 9: 909-12, 2010. [View Abstract](#)

Argiropoulos B, Yung E, Xiang P, Lo CY, Kuchenbauer F, Palmqvist L, Reindl C, Heuser M, Sekulovic S, Rosten P, Muranyi A, Goh SL, Featherstone M & **Humphries RK**. Linkage of the potent leukemogenic activity of Meis1 to cell cycle entry and transcriptional regulation of cyclin D3. *Blood* 115: 4071-82, 2010. [View Abstract](#)

Heuser M, Park G, Moon Y, Berg T, Xiang P, Kuchenbauer F, Vollett S, Lai C & **Humphries RK**. Extrinsic signals determine myeloid-erythroid lineage switch in MN1 leukemia. *Exp Hematol* 38:174-9, 2010. [View Abstract](#)

Morin RD, Johnson NA, Severson TM, Mungall AJ, An J, Goya R, Paul JE, Boyle M, Woolcock BW, Kuchenbauer F, Yap D, **Humphries RK**, Griffith OL, Shah S, Zhu H, Kimbara M, Shashkin P, Charlot JF, Tcherpakov M, Corbett R, Tam A, Varhol R, Smailus D, Moksa M, Zhao Y, Delaney A, Qian H, Birol I, Schein J, Moore R, Holt R, Horsman DE, Connors JM, Jones S, Aparicio S, Hirst M, Gascoyne RD, & Marra MA. Somatic mutations altering EZH2 (Tyr641) in follicular and diffuse large B-cell lymphomas of germinal-center origin. *Nat Genet.* 42:181-5, 2010. [View Abstract](#)

Fisher CL, Pineault N, Brookes C, Helgason CD, Ohta H, Bodner C, Hess JL, **Humphries RK** & Brock HW. Loss-of-function additional sex combs-like1 mutations disrupt hematopoiesis but do not cause severe myelodysplasia or leukemia. *Blood* 115: 38-46, 2010. [View Abstract](#)

Fisher CL, Lee I, Bloyer S, Bozza S, Chevalier J, Dahl A, Bodner C, Helgason CD, Hess JL, **Humphries RK** & Brock HW. Additional sex combs-like 1 belongs to the enhancer of trithorax and polycomb group and genetically interacts with Cbx2 in mice. *Dev Biol* 337: 9-15, 2010. [View Abstract](#)

Starczynowski DT, Kuchenbauer F, Argiropoulos B, Sung S, Morin R, Muranyi A, Hirst M, Hogge D, Marra M, Wells RA, Buckstein R, Lam W, **Humphries RK** & Karsan A. Identification of miR-145 and miR-146a as mediators of the 5q-syndrome phenotype. *Nat Med* 16: 49-58, 2010. [View Abstract](#)

Reindl C, Quentmeier H, Petropoulos K, Greif PA, Benthaus T, Argiropoulos B, Mellert G, Vempati S, Duyster J, Buske C, Bohlander SK, **Humphries RK**, Hiddemann W & Speikermann K. CBL exon 8/9 mutants activate the FLT3 pathway and cluster in core binding factor/11q deletion acute myeloid leukemia/myelodysplastic syndrome subtypes. *Clin Cancer Res* 15: 2238-2247, 2009. [View Abstract](#)

Heuser M, Yap DB, Leung M, de Algara TR, Tafech A, McKinney S, Dixon J, Thresher R, Colledge B, Carlton M, **Humphries RK**, & Aparicio SA. Loss of MLL5 results in pleiotropic hematopoietic defects, reduced neutrophil immune function, and extreme sensitivity to DNA demethylation. *Blood* 113 (7): 1432-43, 2009. [View Abstract](#)

Heuser M, Sly LM, Argiropoulos B, Kuchenbauer F, Lai C, Weng A, Leung M, Lin G, Brookes C, Fung S, Valk PJ, Delwel R, Lowenberg B, Krystal G, & **Humphries RK**. Modelling the functional heterogeneity of leukemia stem cells: role of STAT5 in leukemia stem cell self-renewal. *Blood* 114: 3983-93, 2009. [View Abstract](#)

Heuser M, Kuchenbauer F, Argiropoulos B, Sekulovic S, Leung M, Stasiak M, Ganser A, & **Humphries RK**. Priming reloaded? *Blood* 114 (4): 925-6; author reply 926-7, 2009. [View Abstract](#)

Sekulovic S, Imren S & **Humphries K**. High level in vitro expansion of murine hematopoietic stem cells. In: Current Protocols in Stem Cell Biology. John Wiley & Sons Inc., NJ., p Unit 2A.7., 2008. [View Abstract](#)

Faubert A, Chagraoui J, Mayotte N, Fréchette M, Iscove NN, **Humphries RK** & Sauvageau G. Complementary and independent function for Hoxb4 and Bmi1 in HSC activity. *Cold Spring Harb Symp Quant Biol* 2008. [View Abstract](#)

Heuser M*, Yap D*, Leung M, de Algara TR, Tafech A, McKinney S, Dixon J, Thresher R, Colledge B, Carlton M, **Humphries RK**** & Aparicio S**. Loss of MLL5 results in pleiotropic hematopoietic defects, reduced neutrophil immune function and extreme sensitivity to DNA demethylation. *Blood* 2008 (*authors contributed equally to this study; **co-senior authors). [View Abstract](#)

Kuchenbauer F*, Morin RD*, Argiropoulos B, Petriv OI, Griffith M, Heuser M, Yung E, Piper J, Delaney A, Prabhu A-L, Zhao Y, McDonald H, Zeng T, Hirst M, Hansen CL, Marra MA & Humphries RK. In-depth characterization of the microRNA transcriptome in a leukemia progression model. *Genome Res* 18: 1787-97, 2008. (*authors contributed equally to this study). [View Abstract](#)

Argiropoulos B, Palmqvist L, Yung E, Kuchenbauer F, Heuser M, Sly LM, Wan A, Krystal G, & **Humphries RK**. Linkage of Meis1 leukemogenic activity to multiple downstream effectors including Trib2 and Ccl3. *Exp Hematol* 36 (7): 845-59, 2008. [View Abstract](#)

Hirose K, Abramovich C, Argiropoulos B, & **Humphries RK**. Leukemogenic properties of NUP98-PMX1 are linked to NUP98 and homeodomain sequence functions but not to binding properties of PMX1 to serum response factor. *Oncogene*, 2008. [View Abstract](#)

Rouhi A, Mager DL, **Humphries RK**, & Kuchenbauer F. MiRNAs, epigenetics, and cancer. *Mamm Genome*, 2008. [View Abstract](#)

Zhang XB, Beard BC, Trobridge GD, Wood BL, Sale GE, Sud R, **Humphries RK**, & Kiem HP. High incidence of leukemia in large animals after stem cell gene therapy with a HOXB4-expressing retroviral vector. *J Clin Invest* 118 (4): 1502-10, 2008. [View Abstract](#)

Argiropoulos B, & **Humphries RK**. Hox genes in hematopoiesis and leukemogenesis. *Oncogene* 26 (47): 6766-76, 2007. [View Abstract](#)

Argiropoulos B, Yung E, & **Humphries RK**. Unraveling the crucial roles of Meis1 in leukemogenesis and normal hematopoiesis. *Genes Dev* 21 (22): 2845-9, 2007. [View Abstract](#)

Cellot S, Kros J, Chagraoui J, Meloche S, **Humphries RK**, & Sauvageau G. Sustained in vitro trigger of self-renewal divisions in Hoxb4hiPbx1(10) hematopoietic stem cells. *Exp Hematol* 35 (5): 802-16, 2007. [View Abstract](#)

Heuser M, Argiropoulos B, Kuchenbauer F, Yung E, Piper J, Fung S, Schlenk RF, Dohner K, Hinrichsen T, Rudolph C, Schambach A, Baum C, Schlegelberger B, Dohner H, Ganser A, & **Humphries RK**. MN1

overexpression induces acute myeloid leukemia in mice and predicts ATRA resistance in patients with AML. *Blood* 110 (5): 1639-47, 2007. [View Abstract](#)

Lu M, Glover CH, Tien AH, **Humphries RK**, Piret JM, & Helgason CD. Involvement of tyrosine kinase signaling in maintaining murine embryonic stem cell functionality. *Exp Hematol* 35 (8): 1293-302, 2007. [View Abstract](#)

Ohta H, Sekulovic S, Bakovic S, Eaves CJ, Pineault N, Gasparetto M, Smith C, Sauvageau G, & **Humphries RK**. Near-maximal expansions of hematopoietic stem cells in culture using NUP98-HOX fusions. *Exp Hematol* 35 (5): 817-30, 2007. [View Abstract](#)

Palmqvist L, Pineault N, Wasslavik C, & **Humphries RK**. Candidate genes for expansion and transformation of hematopoietic stem cells by NUP98-HOX fusion genes. *PLoS ONE* 2 (1): e768, 2007. [View Abstract](#)

Zhang XB, Schwartz JL, **Humphries RK**, & Kiem HP. Effects of HOXB4 overexpression on ex vivo expansion and immortalization of hematopoietic cells from different species. *Stem Cells* 25 (8): 2074-81, 2007. [View Abstract](#)

Deshpande AJ, Cusan M, Rawat VP, Reuter H, Krause A, Pott C, Quintanilla-Martinez L, Kakadia P, Kuchenbauer F, Ahmed F, Delabesse E, Hahn M, Lichter P, Kneba M, Hiddemann W, Macintyre E, Mecucci C, Ludwig WD, **Humphries RK**, Bohlander SK, Feuring-Buske M, & Buske C. Acute myeloid leukemia is propagated by a leukemic stem cell with lymphoid characteristics in a mouse model of CALM/AF10-positive leukemia. *Cancer Cell* 10 (5): 363-74, 2006. [View Abstract](#)

Fisher CL, Randazzo F, **Humphries RK**, & Brock HW. Characterization of Asx11, a murine homolog of Additional sex combs, and analysis of the Asx-like gene family. *Gene* 369: 109-18, 2006. [View Abstract](#)

Gurevich RM, Rosten PM, Schwieger M, Stocking C, & **Humphries RK**. Retroviral integration site analysis identifies ICSBP as a collaborating tumor suppressor gene in NUP98-TOP1-induced leukemia. *Exp Hematol* 34 (9): 1192-201, 2006. [View Abstract](#)

Palmqvist L, Argiropoulos B, Pineault N, Abramovich C, Sly LM, Krystal G, Wan A, & **Humphries RK**. The Flt3 receptor tyrosine kinase collaborates with NUP98-HOX fusions in acute myeloid leukemia. *Blood* 108 (3): 1030-6, 2006. [View Abstract](#)

Zhang XB, Beard BC, Beebe K, Storer B, **Humphries RK**, & Kiem HP. Differential effects of HOXB4 on nonhuman primate short- and long-term repopulating cells. *PLoS Med* 3 (5): e173, 2006. [View Abstract](#)

Abramovich C, & **Humphries RK**. Hox regulation of normal and leukemic hematopoietic stem cells. *Curr Opin Hematol* 12 (3): 210-6, 2005. [View Abstract](#)

Abramovich C, Pineault N, Ohta H, & **Humphries RK**. Hox genes: from leukemia to hematopoietic stem cell expansion. *Ann N Y Acad Sci* 1044: 109-16, 2005. [View Abstract](#)

Ferrell CM, Dorsam ST, Ohta H, **Humphries RK**, Derynck MK, Haqq C, Largman C, & Lawrence HJ. Activation of stem-cell specific genes by HOXA9 and HOXA10 homeodomain proteins in CD34+ human cord blood cells. *Stem Cells* 23 (5): 644-55, 2005. [View Abstract](#)

Lawrence HJ, Christensen J, Fong S, Hu YL, Weissman I, Sauvageau G, **Humphries RK**, & Largman C. Loss of expression of the Hoxa-9 homeobox gene impairs the proliferation and repopulating ability of hematopoietic stem cells. *Blood* 106 (12): 3988-94, 2005. [View Abstract](#)

Milsom MD, Duxbury R, Gagen D, **Humphries RK**, Schmidt M, von-Kalle C, & Fairbairn LJ. Overexpression of HOXB4 confers a myelo-erythroid differentiation delay in vitro. *Leukemia* 19 (1): 148-53, 2005. [View Abstract](#)

Palmqvist L, Glover CH, Hsu L, Lu M, Bossen B, Piret JM, **Humphries RK**, & Helgason CD. Correlation of murine embryonic stem cell gene expression profiles with functional measures of pluripotency. *Stem Cells* 23 (5): 663-80, 2005. [View Abstract](#)

Pineault N, Abramovich C, & **Humphries RK**. Transplantable cell lines generated with NUP98-Hox fusion genes undergo leukemic progression by Meis1 independent of its binding to DNA. *Leukemia* 19 (4): 636-43, 2005. [View Abstract](#)

Schessl C, Rawat VP, Cusan M, Deshpande A, Kohl TM, Rosten PM, Spiekermann K, **Humphries RK**, Schnittger S, Kern W, Hiddemann W, Quintanilla-Martinez L, Bohlander SK, Feuring-Buske M, & Buske C. The AML1-ETO fusion gene and the FLT3 length mutation collaborate in inducing acute leukemia in mice. *J Clin Invest* 115 (8): 2159-68, 2005. [View Abstract](#)

Gurevich RM, Aplan PD, & **Humphries RK**. NUP98-topoisomerase I acute myeloid leukemia-associated fusion gene has potent leukemogenic activities independent of an engineered catalytic site mutation. *Blood* 104 (4): 1127-36, 2004. [View Abstract](#)

Imren S, Fabry ME, Westerman KA, Pawliuk R, Tang P, Rosten PM, Nagel RL, Leboulch P, Eaves CJ, & **Humphries RK**. High-level beta-globin expression and preferred intragenic integration after lentiviral transduction of human cord blood stem cells. *J Clin Invest* 114 (7): 953-62, 2004. [View Abstract](#)

Milsom MD, Woolford LB, Margison GP, **Humphries RK**, & Fairbairn LJ. Enhanced in vivo selection of bone marrow cells by retroviral-mediated coexpression of mutant O6-methylguanine-DNA-methyltransferase and HOXB4. *Mol Ther* 10 (5): 862-73, 2004. [View Abstract](#)

Nicolini FE, Cashman JD, Hogge DE, **Humphries RK**, & Eaves CJ. NOD/SCID mice engineered to express human IL-3, GM-CSF and Steel factor constitutively mobilize engrafted human progenitors and compromise human stem cell regeneration. *Leukemia* 18 (2): 341-7, 2004. [View Abstract](#)

Oh IH, Fabry ME, **Humphries RK**, Pawliuk R, Leboulch P, Hoffman R, Nagel RL, & Eaves C. Expression of an anti-sickling beta-globin in human erythroblasts derived from retrovirally transduced primitive normal and sickle cell disease hematopoietic cells. *Exp Hematol* 32 (5): 461-9, 2004. [View Abstract](#)

Pineault N, Abramovich C, Ohta H, & **Humphries RK**. Differential and common leukemogenic potentials of multiple NUP98-Hox fusion proteins alone or with Meis1. *Mol Cell Biol* 24 (5): 1907-17, 2004. [View Abstract](#)

Rawat VP, Cusan M, Deshpande A, Hiddemann W, Quintanilla-Martinez L, **Humphries RK**, Bohlander SK, Feuring-Buske M, & Buske C. Ectopic expression of the homeobox gene Cdx2 is the transforming event in a mouse model of t(12;13)(p13;q12) acute myeloid leukemia. *Proc Natl Acad Sci U S A* 101 (3): 817-22, 2004. [View Abstract](#)

Sauvageau G, Iscove NN, & **Humphries RK**. In vitro and in vivo expansion of hematopoietic stem cells. *Oncogene* 23 (43): 7223-32, 2004. [View Abstract](#)

Baran CP, Tridandapani S, Helgason CD, **Humphries RK**, Krystal G, & Marsh CB. The inositol 5'-phosphatase SHIP-1 and the Src kinase Lyn negatively regulate macrophage colony-stimulating factor-induced Akt activity. *J Biol Chem* 278 (40): 38628-36, 2003. [View Abstract](#)

Bjornsson JM, Larsson N, Brun AC, Magnusson M, Andersson E, Lundstrom P, Larsson J, Repetowska E, Ehinger M, **Humphries RK**, & Karlsson S. Reduced proliferative capacity of hematopoietic stem cells deficient in Hoxb3 and Hoxb4. *Mol Cell Biol* 23 (11): 3872-83, 2003. [View Abstract](#)

Brun AC, Fan X, Bjornsson JM, **Humphries RK**, & Karlsson S. Enforced adenoviral vector-mediated expression of HOXB4 in human umbilical cord blood CD34+ cells promotes myeloid differentiation but not proliferation. *Mol Ther* 8 (4): 618-28, 2003. [View Abstract](#)

Crow AR, Song S, Freedman J, Helgason CD, **Humphries RK**, Siminovitch KA, & Lazarus AH. IVIg-mediated amelioration of murine ITP via FcγRIIB is independent of SHIP1, SHP-1, and Btk activity. *Blood* 102 (2): 558-60, 2003. [View Abstract](#)

Feuring-Buske M, Gerhard B, Cashman J, **Humphries RK**, Eaves CJ, & Hogge DE. Improved engraftment of human acute myeloid leukemia progenitor cells in beta 2-microglobulin-deficient NOD/SCID mice and in NOD/SCID mice transgenic for human growth factors. *Leukemia* 17 (4): 760-3, 2003. [View Abstract](#)

Helgason CD, Antonchuk J, Bodner C, & **Humphries RK**. Homeostasis and regeneration of the hematopoietic stem cell pool are altered in SHIP-deficient mice. *Blood* 102 (10): 3541-7, 2003. [View Abstract](#)

Krosi J, Austin P, Beslu N, Kroon E, **Humphries RK**, & Sauvageau G. In vitro expansion of hematopoietic stem cells by recombinant TAT-HOXB4 protein. *Nat Med* 9 (11): 1428-32, 2003. [View Abstract](#)

Krosi J, Beslu N, Mayotte N, **Humphries RK**, & Sauvageau G. The competitive nature of HOXB4-transduced HSC is limited by PBX1: the generation of ultra-competitive stem cells retaining full differentiation potential. *Immunity* 18 (4): 561-71, 2003. [View Abstract](#)

Larrivee B, Lane DR, Pollet I, Olive PL, **Humphries RK**, & Karsan A. Vascular endothelial growth factor receptor-2 induces survival of hematopoietic progenitor cells. *J Biol Chem* 278 (24): 22006-13, 2003. [View Abstract](#)

Pineault N, Buske C, Feuring-Buske M, Abramovich C, Rosten P, Hogge DE, Aplan PD, & **Humphries RK**. Induction of acute myeloid leukemia in mice by the human leukemia-specific fusion gene NUP98-HOXD13 in concert with Meis1. *Blood* 101 (11): 4529-38, 2003. [View Abstract](#)

Abramovich C, Chavez EA, Lansdorp PM, & **Humphries RK**. Functional characterization of multiple domains involved in the subcellular localization of the hematopoietic Pbx interacting protein (HPIP). *Oncogene* 21 (44): 6766-71, 2002. [View Abstract](#)

Antonchuk J, Sauvageau G, & **Humphries RK**. HOXB4-induced expansion of adult hematopoietic stem cells ex vivo. *Cell* 109 (1): 39-45, 2002. [View Abstract](#)

Buske C, Feuring-Buske M, Abramovich C, Spiekermann K, Eaves CJ, Coulombel L, Sauvageau G, Hogge DE, & **Humphries RK**. Deregulated expression of HOXB4 enhances the primitive growth activity of human hematopoietic cells. *Blood* 100 (3): 862-8, 2002. [View Abstract](#)

Imren S, Payen E, Westerman KA, Pawliuk R, Fabry ME, Eaves CJ, Cavilla B, Wadsworth LD, Beuzard Y, Bouhassira EE, Russell R, London IM, Nagel RL, Leboulch P, & **Humphries RK**. Permanent and panerythroid correction of murine beta thalassemia by multiple lentiviral integration in hematopoietic stem cells. *Proc Natl Acad Sci U S A* 99 (22): 14380-5, 2002. [View Abstract](#)

Miller CL, Imren S, Antonchuk J, Kalberer C, Fabry ME, Nagel RL, **Humphries RK**, & Eaves CJ. Feasibility of using autologous transplantation to evaluate hematopoietic stem cell-based gene therapy strategies in transgenic mouse models of human disease. *Mol Ther* 6 (3): 422-8, 2002. [View Abstract](#)

Nicolini FE, Imren S, Oh IH, **Humphries RK**, Leboulch P, Fabry ME, Nagel RL, & Eaves CJ. Expression of a human beta-globin transgene in erythroid cells derived from retrovirally transduced transplantable human fetal liver and cord blood cells. *Blood* 100 (4): 1257-64, 2002. [View Abstract](#)

Ohta H, Sawada A, Kim JY, Tokimasa S, Nishiguchi S, **Humphries RK**, Hara J, & Takihara Y. Polycomb group gene *rae28* is required for sustaining activity of hematopoietic stem cells. *J Exp Med* 195 (6): 759-70, 2002. [View Abstract](#)

Pineault N, Helgason CD, Lawrence HJ, & **Humphries RK**. Differential expression of Hox, Meis1, and Pbx1 genes in primitive cells throughout murine hematopoietic ontogeny. *Exp Hematol* 30 (1): 49-57, 2002. [View Abstract](#)

Takehita S, Namba N, Zhao JJ, Jiang Y, Genant HK, Silva MJ, Brodt MD, Helgason CD, Kalesnikoff J, Rauh MJ, **Humphries RK**, Krystal G, Teitelbaum SL, & Ross FP. SHIP-deficient mice are severely osteoporotic due to increased numbers of hyper-resorptive osteoclasts. *Nat Med* 8 (9): 943-9, 2002. [View Abstract](#)

Thorsteinsdottir U, Mamo A, Kroon E, Jerome L, Bijl J, Lawrence HJ, **Humphries K**, & Sauvageau G. Overexpression of the myeloid leukemia-associated Hoxa9 gene in bone marrow cells induces stem cell expansion. *Blood* 99 (1): 121-9, 2002. [View Abstract](#)

Antonchuk J, Sauvageau G, & **Humphries RK**. HOXB4 overexpression mediates very rapid stem cell regeneration and competitive hematopoietic repopulation. *Exp Hematol* 29 (9): 1125-34, 2001. [View Abstract](#)

Bjornsson JM, Andersson E, Lundstrom P, Larsson N, Xu X, Repetowska E, **HumphriesRK**, & Karlsson S. Proliferation of primitive myeloid progenitors can be reversibly induced by HOXA10. *Blood* 98 (12): 3301-8, 2001. [View Abstract](#)

Buske C, Feuring-Buske M, Antonchuk J, Rosten P, Hogge DE, Eaves CJ, & **HumphriesRK**. Overexpression of HOXA10 perturbs human lymphomyelopoiesis in vitro and in vivo. *Blood* 97 (8): 2286-92, 2001. [View Abstract](#)

Latour S, Gish G, Helgason CD, **Humphries RK**, Pawson T, & Veillette A. Regulation of SLAM-mediated signal transduction by SAP, the X-linked lymphoproliferative gene product. *Nat Immunol* 2 (8): 681-90, 2001. [View Abstract](#)

Pawliuk R, Westerman KA, Fabry ME, Payen E, Tighe R, Bouhassira EE, Acharya SA, Ellis J, London IM, Eaves CJ, **Humphries RK**, Beuzard Y, Nagel RL, & Leboulch P. Correction of sickle cell disease in transgenic mouse models by gene therapy. *Science* 294 (5550): 2368-71, 2001. [View Abstract](#)

Rufer N, Migliaccio M, Antonchuk J, **Humphries RK**, Roosnek E, & Lansdorp PM. Transfer of the human telomerase reverse transcriptase (TERT) gene into T lymphocytes results in extension of replicative potential. *Blood* 98 (3): 597-603, 2001. [View Abstract](#)

Abramovich C, Shen WF, Pineault N, Imren S, Montpetit B, Largman C, & **HumphriesRK**. Functional cloning and characterization of a novel nonhomeodomain protein that inhibits the binding of PBX1-HOX complexes to DNA. *J Biol Chem* 275 (34): 26172-7, 2000. [View Abstract](#)

Brauweiler A, Tamir I, Dal Porto J, Benschop RJ, Helgason CD, **Humphries RK**, Freed JH, & Cambier JC. Differential regulation of B cell development, activation, and death by the src homology 2 domain-containing 5' inositol phosphatase (SHIP). *J Exp Med* 191 (9): 1545-54, 2000. [View Abstract](#)

Buske C, & **Humphries RK**. Homeobox genes in leukemogenesis. *Int J Hematol* 71 (4): 301-8, 2000. [View Abstract](#)

Helgason CD, Kalberer CP, Damen JE, Chappel SM, Pineault N, Krystal G, & **HumphriesRK**. A dual role for Src homology 2 domain-containing inositol-5-phosphatase (SHIP) in immunity: aberrant development and enhanced function of b lymphocytes in ship ^{-/-} mice. *J Exp Med* 191 (5): 781-94, 2000. [View Abstract](#)

Hennemann B, Chuo JY, Schley PD, Lambie K, **Humphries RK**, & Eaves CJ. High-efficiency retroviral transduction of mammalian cells on positively charged surfaces. *Hum Gene Ther* 11 (1): 43-51, 2000. [View Abstract](#)

Hennemann B, Oh IH, Chuo JY, Kalberer CP, Schley PD, Rose-John S, **Humphries RK**, & Eaves CJ. Efficient retrovirus-mediated gene transfer to transplantable human bone marrow cells in the absence of fibronectin. *Blood* 96 (7): 2432-9, 2000. [View Abstract](#)

Kalberer CP, Pawliuk R, Imren S, Bachelot T, Takekoshi KJ, Fabry M, Eaves CJ, London IM, **Humphries RK**, & Leboulch P. Preselection of retrovirally transduced bone marrow avoids subsequent stem cell gene silencing and age-dependent extinction of expression of human beta-globin in engrafted mice. *Proc Natl Acad Sci U S A* 97 (10): 5411-5, 2000. [View Abstract](#)

Lu L, Chappel MS, **Humphries RK**, & Osmond DG. Regulation of cell survival during B lymphopoiesis: increased pre-B cell apoptosis in CD24-transgenic mouse bone marrow. *Eur J Immunol* 30 (9): 2686-91, 2000. [View Abstract](#)

Metzler M, Helgason CD, Dragatsis I, Zhang T, Gan L, Pineault N, Zeitlin SO, **HumphriesRK**, & Hayden MR. Huntingtin is required for normal hematopoiesis. *Hum Mol Genet* 9 (3): 387-94, 2000. [View Abstract](#)

Satterthwaite AB, Willis F, Kanchanastit P, Fruman D, Cantley LC, Helgason CD, **Humphries RK**, Lowell CA, Simon M, Leitges M, Tarakhovsky A, Tedder TF, Lesche R, Wu H, & Witte ON. A sensitized genetic system for the analysis of murine B lymphocyte signal transduction pathways dependent on Bruton's tyrosine kinase. *Proc Natl Acad Sci U S A* 97 (12): 6687-92, 2000. [View Abstract](#)

Ailles LE, **Humphries RK**, Thomas TE, & Hogge DE. Retroviral marking of acute myelogenous leukemia progenitors that initiate long-term culture and growth in immunodeficient mice. *Exp Hematol* 27 (11): 1609-20, 1999. [View Abstract](#)

Doheny JG, Jervis EJ, Guarna MM, **Humphries RK**, Warren RA, & Kilburn DG. Cellulose as an inert matrix for presenting cytokines to target cells: production and properties of a stem cell factor-cellulose-binding domain fusion protein. *Biochem J* 339 (Pt 2): 429-34, 1999. [View Abstract](#)

Hennemann B, Conneally E, Pawliuk R, Leboulch P, Rose-John S, Reid D, Chuo JY, **Humphries RK**, & Eaves CJ. Optimization of retroviral-mediated gene transfer to human NOD/SCID mouse repopulating cord blood cells through a systematic analysis of protocol variables. *Exp Hematol* 27 (5): 817-25, 1999. [View Abstract](#)

Huber M, Helgason CD, Damen JE, Scheid M, Duronio V, Liu L, Ware MD, **HumphriesRK**, & Krystal G. The role of SHIP in growth factor induced signalling. *Prog Biophys Mol Biol* 71 (3-4): 423-34, 1999. [View Abstract](#)

Huber M, Helgason CD, Damen JE, Scheid MP, Duronio V, Lam V, **Humphries RK**, & Krystal G. The role of the SRC homology 2-containing inositol 5'-phosphatase in Fc epsilon R1-induced signaling. *Curr Top Microbiol Immunol* 244: 29-41, 1999. [View Abstract](#)

Kawagoe H, **Humphries RK**, Blair A, Sutherland HJ, & Hogge DE. Expression of HOX genes, HOX cofactors, and MLL in phenotypically and functionally defined subpopulations of leukemic and normal human hematopoietic cells. *Leukemia* 13 (5): 687-98, 1999. [View Abstract](#)

Kim CH, Hangoc G, Cooper S, Helgason CD, Yew S, **Humphries RK**, Krystal G, & Broxmeyer HE. Altered responsiveness to chemokines due to targeted disruption of SHIP. *J Clin Invest* 104 (12): 1751-9, 1999. [View Abstract](#)

Krystal G, Damen JE, Helgason CD, Huber M, Hughes MR, Kalesnikoff J, Lam V, Rosten P, Ware MD, Yew S, & **Humphries RK**. SHIPs ahoy. *Int J Biochem Cell Biol* 31 (10): 1007-10, 1999. [View Abstract](#)

Metzler M, Chen N, Helgason CD, Graham RK, Nichol K, McCutcheon K, Nasir J, **Humphries RK**, Raymond LA, & Hayden MR. Life without huntingtin: normal differentiation into functional neurons. *J Neurochem* 72 (3): 1009-18, 1999. [View Abstract](#)

Thorsteinsdottir U, Sauvageau G, & **Humphries RK**. Enhanced in vivo regenerative potential of HOXB4-transduced hematopoietic stem cells with regulation of their pool size. *Blood* 94 (8): 2605-12, 1999. [View Abstract](#)

Conneally E, Eaves CJ, & **Humphries RK**. Efficient retroviral-mediated gene transfer to human cord blood stem cells with in vivo repopulating potential. *Blood* 91 (9): 3487-93, 1998. [View Abstract](#)

Helgason CD, Damen JE, Rosten P, Grewal R, Sorensen P, Chappel SM, Borowski A, Jirik F, Krystal G, & **Humphries RK**. Targeted disruption of SHIP leads to hemopoietic perturbations, lung pathology, and a shortened life span. *Genes Dev* 12 (11): 1610-20, 1998. [View Abstract](#)

Huber M, Helgason CD, Damen JE, Liu L, **Humphries RK**, & Krystal G. The src homology 2-containing inositol phosphatase (SHIP) is the gatekeeper of mast cell degranulation. *Proc Natl Acad Sci U S A* 95 (19): 11330-5, 1998. [View Abstract](#)

Huber M, Helgason CD, Scheid MP, Duronio V, **Humphries RK**, & Krystal G. Targeted disruption of SHIP leads to Steel factor-induced degranulation of mast cells. *Embo J* 17 (24): 7311-9, 1998. [View Abstract](#)

Pawliuk R, Bachelot T, Raftopoulos H, Kalberer C, **Humphries RK**, Bank A, & Leboulch P. Retroviral vectors aimed at the gene therapy of human beta-globin gene disorders. *Ann N Y Acad Sci* 850: 151-62, 1998. [View Abstract](#)

Bardy P, Conneally E, Emerman JT, Lansdorp PM, Goss G, **Humphries RK**, & Eaves CJ. Isolation and analysis of different subpopulations of normal human breast epithelial cells after their infection with a retroviral vector encoding a cell surface marker. *Breast Cancer Res Treat* 44 (2): 153-65, 1997. [View Abstract](#)

Damen JE, Liu L, Wakao H, Miyajima A, Rosten P, Jefferson AB, Majerus PW, Krosi J, **Humphries RK**, & Krystal G. The role of erythropoietin receptor tyrosine phosphorylation in erythropoietin-induced proliferation. *Leukemia* 11 Suppl 3: 423-5, 1997. [View Abstract](#)

Lawrence HJ, Helgason CD, Sauvageau G, Fong S, Izon DJ, **Humphries RK**, & Largman C. Mice bearing a targeted interruption of the homeobox gene HOXA9 have defects in myeloid, erythroid, and lymphoid hematopoiesis. *Blood* 89 (6): 1922-30, 1997. [View Abstract](#)

Pawliuk R, Eaves CJ, & **Humphries RK**. Sustained high-level reconstitution of the hematopoietic system by preselected hematopoietic cells expressing a transduced cell-surface antigen. *Hum Gene Ther* 8 (13): 1595-604, 1997. [View Abstract](#)

Sauvageau G, Thorsteinsdottir U, Hough MR, Hugo P, Lawrence HJ, Largman C, & **Humphries RK**. Overexpression of HOXB3 in hematopoietic cells causes defective lymphoid development and progressive myeloproliferation. *Immunity* 6 (1): 13-22, 1997. [View Abstract](#)

Thorsteinsdottir U, Sauvageau G, Hough MR, Dragowska W, Lansdorp PM, Lawrence HJ, Largman C, & **Humphries RK**. Overexpression of HOXA10 in murine hematopoietic cells perturbs both myeloid and lymphoid differentiation and leads to acute myeloid leukemia. *Mol Cell Biol* 17 (1): 495-505, 1997. [View Abstract](#)

Thorsteinsdottir U, Sauvageau G, & **Humphries RK**. Hox homeobox genes as regulators of normal and leukemic hematopoiesis. *Hematol Oncol Clin North Am* 11 (6): 1221-37, 1997. [View Abstract](#)

Chappel MS, Hough MR, Mittel A, Takei F, Kay R, & **Humphries RK**. Cross-linking the murine heat-stable antigen induces apoptosis in B cell precursors and suppresses the anti-CD40-induced proliferation of mature resting B lymphocytes. *J Exp Med* 184 (5): 1638-49, 1996. [View Abstract](#)

Conneally E, Bardy P, Eaves CJ, Thomas T, Chappel S, Shpall EJ, & **Humphries RK**. Rapid and efficient selection of human hematopoietic cells expressing murine heat-stable antigen as an indicator of retroviral-mediated gene transfer. *Blood* 87 (2): 456-64, 1996. [View Abstract](#)

Damen JE, Liu L, Rosten P, **Humphries RK**, Jefferson AB, Majerus PW, & Krystal G. The 145-kDa protein induced to associate with Shc by multiple cytokines is an inositol tetrakisphosphate and phosphatidylinositol 3,4,5-triphosphate 5-phosphatase. *Proc Natl Acad Sci U S A* 93 (4): 1689-93, 1996. [View Abstract](#)

Helgason CD, Sauvageau G, Lawrence HJ, Largman C, & **Humphries RK**. Overexpression of HOXB4 enhances the hematopoietic potential of embryonic stem cells differentiated in vitro. *Blood* 87 (7): 2740-9, 1996. [View Abstract](#)

Hough MR, Chappel MS, Sauvageau G, Takei F, Kay R, & **Humphries RK**. Reduction of early B lymphocyte precursors in transgenic mice overexpressing the murine heat-stable antigen. *J Immunol* 156 (2): 479-88, 1996. [View Abstract](#)

Krosi J, Damen JE, Krystal G, & **Humphries RK**. Interleukin-3 (IL-3) inhibits erythropoietin-induced differentiation in Ba/F3 cells via the IL-3 receptor alpha subunit. *J Biol Chem* 271 (44): 27432-7, 1996. [View Abstract](#)

Lawrence HJ, Sauvageau G, **Humphries RK**, & Largman C. The role of HOX homeobox genes in normal and leukemic hematopoiesis. *Stem Cells* 14 (3): 281-91, 1996. [View Abstract](#)

Medin JA, Migita M, Pawliuk R, Jacobson S, Amiri M, Kluepfel-Stahl S, Brady RO, **Humphries RK**, & Karlsson S. A bicistronic therapeutic retroviral vector enables sorting of transduced CD34+ cells and corrects the enzyme deficiency in cells from Gaucher patients. *Blood* 87 (5): 1754-62, 1996. [View Abstract](#)

Pawliuk R, Eaves C, & **Humphries RK**. Evidence of both ontogeny and transplant dose-regulated expansion of hematopoietic stem cells in vivo. *Blood* 88 (8): 2852-8, 1996. [View Abstract](#)

Shen WF, Chang CP, Rozenfeld S, Sauvageau G, **Humphries RK**, Lu M, Lawrence HJ, Cleary ML, & Largman C. Hox homeodomain proteins exhibit selective complex stabilities with Pbx and DNA. *Nucleic Acids Res* 24 (5): 898-906, 1996. [View Abstract](#)

Ware MD, Rosten P, Damen JE, Liu L, **Humphries RK**, & Krystal G. Cloning and characterization of human SHIP, the 145-kD inositol 5-phosphatase that associates with SHC after cytokine stimulation. *Blood* 88 (8): 2833-40, 1996. [View Abstract](#)

Damen JE, Wakao H, Miyajima A, Krosi J, **Humphries RK**, Cutler RL, & Krystal G. Tyrosine 343 in the erythropoietin receptor positively regulates erythropoietin-induced cell proliferation and Stat5 activation. *Embo J* 14 (22): 5557-68, 1995. [View Abstract](#)

Krosi J, Damen JE, Krystal G, & **Humphries RK**. Erythropoietin and interleukin-3 induce distinct events in erythropoietin receptor-expressing BA/F3 cells. *Blood* 85 (1): 50-6, 1995. [View Abstract](#)

Krystal G, **Humphries K**, & Damen J. A second erythropoietin receptor subunit. *Blood* 85 (9): 2641, 1995. [View Abstract](#)

Lawrence HJ, Sauvageau G, Ahmadi N, Lopez AR, LeBeau MM, Link M, **Humphries K**, & Largman C. Stage- and lineage-specific expression of the HOXA10 homeobox gene in normal and leukemic hematopoietic cells. *Exp Hematol* 23 (11): 1160-6, 1995. [View Abstract](#)

Lewis ME, Forsythe IJ, Marth JD, Brunzell JD, Hayden MR, & **Humphries RK**. Retroviral-mediated gene transfer and expression of human lipoprotein lipase in somatic cells. *Hum Gene Ther* 6 (7): 853-63, 1995. [View Abstract](#)

Migita M, Medin JA, Pawliuk R, Jacobson S, Nagle JW, Anderson S, Amiri M, **Humphries RK**, & Karlsson S. Selection of transduced CD34+ progenitors and enzymatic correction of cells from Gaucher patients, with bicistronic vectors. *Proc Natl Acad Sci U S A* 92 (26): 12075-9, 1995. [View Abstract](#)

Sauvageau G, Thorsteinsdottir U, Eaves CJ, Lawrence HJ, Largman C, Lansdorp PM, & **Humphries RK**. Overexpression of HOXB4 in hematopoietic cells causes the selective expansion of more primitive populations in vitro and in vivo. *Genes Dev* 9 (14): 1753-65, 1995. [View Abstract](#)

Barnett MJ, Eaves CJ, Phillips GL, Gascoyne RD, Hogge DE, Horsman DE, **Humphries RK**, Klingemann HG, Lansdorp PM, Nantel SH, & et al. Autografting with cultured marrow in chronic myeloid leukemia: results of a pilot study. *Blood* 84 (3): 724-32, 1994. [View Abstract](#)

Hogge DE, Sutherland HJ, Cashman JD, Lansdorp PM, **Humphries RK**, & Eaves CJ. Cytokines acting early in human haematopoiesis. *Baillieres Clin Haematol* 7 (1): 49-63, 1994. [View Abstract](#)

Hough MR, Rosten PM, Sexton TL, Kay R, & **Humphries RK**. Mapping of CD24 and homologous sequences to multiple chromosomal loci. *Genomics* 22 (1): 154-61, 1994. [View Abstract](#)

Hough MR, Takei F, **Humphries RK**, & Kay R. Defective development of thymocytes overexpressing the costimulatory molecule, heat-stable antigen. *J Exp Med* 179 (1): 177-84, 1994. [View Abstract](#)

Leboulch P, Huang GM, **Humphries RK**, Oh YH, Eaves CJ, Tuan DY, & London IM. Mutagenesis of retroviral vectors transducing human beta-globin gene and beta-globin locus control region derivatives results in stable transmission of an active transcriptional structure. *Embo J* 13 (13): 3065-76, 1994. [View Abstract](#)

Pawliuk R, Kay R, Lansdorp P, & **Humphries RK**. Selection of retrovirally transduced hematopoietic cells using CD24 as a marker of gene transfer. *Blood* 84 (9): 2868-77, 1994. [View Abstract](#)

Rebel VI, Dragowska W, Eaves CJ, **Humphries RK**, & Lansdorp PM. Amplification of Sca-1+ Lin- WGA+ cells in serum-free cultures containing steel factor, interleukin-6, and erythropoietin with maintenance of cells with long-term in vivo reconstituting potential. *Blood* 83 (1): 128-36, 1994. [View Abstract](#)

Sauvageau G, Lansdorp PM, Eaves CJ, Hogge DE, Dragowska WH, Reid DS, Largman C, Lawrence HJ, & **Humphries RK**. Differential expression of homeobox genes in functionally distinct CD34+ subpopulations of human bone marrow cells. *Proc Natl Acad Sci U S A* 91 (25): 12223-7, 1994. [View Abstract](#)

Fraser CC, Thacker JD, Hogge DE, Fatur-Saunders D, Takei F, & **Humphries RK**. Alterations in lymphopoiesis after hematopoietic reconstitution with IL-7 virus-infected bone marrow. *J Immunol* 151 (5): 2409-18, 1993. [View Abstract](#)

Damen J, Mui AL, Hughes P, **Humphries K**, & Krystal G. Erythropoietin-induced tyrosine phosphorylations in a high erythropoietin receptor-expressing lymphoid cell line. *Blood* 80 (8): 1923-32, 1992. [View Abstract](#)

Eaves CJ, Sutherland HJ, Udomsakdi C, Lansdorp PM, Szilvassy SJ, Fraser CC, **Humphries RK**, Barnett MJ, Phillips GL, & Eaves AC. The human hematopoietic stem cell in vitro and in vivo. *Blood Cells* 18 (2): 301-7, 1992. [View Abstract](#)

Fraser CC, Szilvassy SJ, Eaves CJ, & **Humphries RK**. Proliferation of totipotent hematopoietic stem cells in vitro with retention of long-term competitive in vivo reconstituting ability. *Proc Natl Acad Sci U S A* 89 (5): 1968-72, 1992. [View Abstract](#)

Hughes PF, Thacker JD, Hogge D, Sutherland HJ, Thomas TE, Lansdorp PM, Eaves CJ, & **Humphries RK**. Retroviral gene transfer to primitive normal and leukemic hematopoietic cells using clinically applicable procedures. *J Clin Invest* 89 (6): 1817-24, 1992. [View Abstract](#)

Mui AL, Kay RJ, **Humphries RK**, & Krystal G. Ligand-induced phosphorylation of the murine interleukin 3 receptor signals its cleavage. *Proc Natl Acad Sci U S A* 89 (22): 10812-6, 1992. [View Abstract](#)

Mui AL, Kay RJ, **Humphries RK**, & Krystal G. Purification of the murine interleukin 3 receptor. *J Biol Chem* 267 (23): 16523-30, 1992. [View Abstract](#)

Munt B, Erb S, **Humphries K**, Shepherd J, Scudamore C, Anderson F, Lam V, Shackleton C, & Krystal G. Monitoring hemangioblastoma tumor burden using plasma erythropoietin levels. *Int J Hematol* 56 (2): 185-7, 1992. [View Abstract](#)

Turhan AG, Cashman JD, Eaves CJ, **Humphries RK**, & Eaves AC. Variable expression of features of normal and neoplastic stem cells in patients with thrombocytosis. *Br J Haematol* 82 (1): 50-7, 1992. [View Abstract](#)

Barnett MJ, Sutherland HJ, Eaves AC, Hogge DE, **Humphries RK**, Klingemann HG, Lansdorp PM, Phillips GL, Reece DE, Shepherd JD, & et al. Human hematopoietic stem cells in long-term culture: quantitation and manipulation. *Bone Marrow Transplant* 7 Suppl 1: 70, 1991. [View Abstract](#)

Dougherty GJ, Landorp PM, Cooper DL, & **Humphries RK**. Molecular cloning of CD44R1 and CD44R2, two novel isoforms of the human CD44 lymphocyte "homing" receptor expressed by hemopoietic cells. *J Exp Med* 174 (1): 1-5, 1991. [View Abstract](#)

Eaves CJ, Cashman JD, Kay RJ, Dougherty GJ, Otsuka T, Gaboury LA, Hogge DE, Lansdorp PM, Eaves AC, & **Humphries RK**. Mechanisms that regulate the cell cycle status of very primitive hematopoietic cells in long-term human marrow cultures. II. Analysis of positive and negative regulators produced by stromal cells within the adherent layer. *Blood* 78 (1): 110-7, 1991. [View Abstract](#)

Eaves CJ, Cashman JD, Sutherland HJ, Otsuka T, **Humphries RK**, Hogge DE, Lansdorp PL, & Eaves AC. Molecular analysis of primitive hematopoietic cell proliferation control mechanisms. *Ann N Y Acad Sci* 628: 298-306, 1991. [View Abstract](#)

Eaves CJ, Sutherland HJ, Cashman JD, Otsuka T, Lansdorp PM, **Humphries RK**, Eaves AC, & Hogge DE. Regulation of primitive human hematopoietic cells in long-term marrow culture. *Semin Hematol* 28 (2): 126-31, 1991. [View Abstract](#)

Hogge DE, Cashman JD, **Humphries RK**, & Eaves CJ. Differential and synergistic effects of human granulocyte-macrophage colony-stimulating factor and human granulocyte colony-stimulating factor on hematopoiesis in human long-term marrow cultures. *Blood* 77 (3): 493-9, 1991. [View Abstract](#)

Kay R, Rosten PM, & **Humphries RK**. CD24, a signal transducer modulating B cell activation responses, is a very short peptide with a glycosyl phosphatidylinositol membrane anchor. *J Immunol* 147 (4): 1412-6, 1991. [View Abstract](#)

Otsuka T, Eaves CJ, **Humphries RK**, Hogge DE, & Eaves AC. Lack of evidence for abnormal autocrine or paracrine mechanisms underlying the uncontrolled proliferation of primitive chronic myeloid leukemia progenitor cells. *Leukemia* 5 (10): 861-8, 1991. [View Abstract](#)

Otsuka T, **Humphries RK**, Hogge DE, Eaves AC, & Eaves CJ. Continuous activation of primitive hematopoietic cells in long-term human marrow cultures containing irradiated tumor cells. *J Cell Physiol* 148 (3): 370-9, 1991. [View Abstract](#)

St Amand J, Beard C, **Humphries K**, & Astell CR. Analysis of splice junctions and in vitro and in vivo translation potential of the small, abundant B19 parvovirus RNAs. *Virology* 183 (1): 133-42, 1991. [View Abstract](#)

Turhan AG, Eaves CJ, **Humphries RK**, Phillips GL, & Eaves AC. Reversing clonality in leukemia. *Semin Hematol* 28 (3 Suppl 4): 5-8, 1991. [View Abstract](#)

Fraser CC, Eaves CJ, Szilvassy SJ, & **Humphries RK**. Expansion in vitro of retrovirally marked totipotent hematopoietic stem cells. *Blood* 76 (6): 1071-6, 1990. [View Abstract](#)

Iyer J, Duerst RE, Looney JN, **Humphries RK**, Abboud CN, & Frantz CN. An 80,000-kd glycoprotein cell surface antigen found only on nonhematopoietic cells in human bone marrow. *Exp Hematol* 18 (5): 384-9, 1990. [View Abstract](#)

Kay R, Dougherty GJ, & **Humphries RK**. Heterogeneous modifications of the 114/A10 protein of interleukin-3-dependent cells are concentrated in a highly repetitive amino-terminal domain. *J Biol Chem* 265 (9): 4962-8, 1990. [View Abstract](#)

Kay R, Takei F, & **Humphries RK**. Expression cloning of a cDNA encoding M1/69-J11d heat-stable antigens. *J Immunol* 145 (6): 1952-9, 1990. [View Abstract](#)

Szilvassy SJ, **Humphries RK**, Lansdorp PM, Eaves AC, & Eaves CJ. Quantitative assay for totipotent reconstituting hematopoietic stem cells by a competitive repopulation strategy. *Proc Natl Acad Sci U S A* 87 (22): 8736-40, 1990. [View Abstract](#)

Turhan AG, **Humphries RK**, Eaves CJ, Barnett MJ, Phillips GL, Kalousek DK, Klingemann HG, Lansdorp PL, Reece DE, Shepherd JD, & et al. Detection of breakpoint cluster region- negative and nonclonal hematopoiesis in vitro and in vivo after transplantation of cells selected in cultures of chronic myeloid leukemia marrow. *Blood* 76 (11): 2404-10, 1990. [View Abstract](#)

Wognum AW, Lansdorp PM, **Humphries RK**, & Krystal G. Detection and isolation of the erythropoietin receptor using biotinylated erythropoietin. *Blood* 76 (4): 697-705, 1990. [View Abstract](#)

Dougherty GJ, Dougherty ST, Kay RJ, Lansdorp P, & **Humphries RK**. Identification and characterization of 114/A10, an antigen highly expressed on the surface of murine myeloid and erythroid progenitor cells and IL-3-dependent cell lines. *Exp Hematol* 17 (8): 877-82, 1989. [View Abstract](#)

Dougherty GJ, Kay RJ, & **Humphries RK**. Molecular cloning of 114/A10, a cell surface antigen containing highly conserved repeated elements, which is expressed by murine hemopoietic progenitor cells and interleukin-3-dependent cell lines. *J Biol Chem* 264 (11): 6509-14, 1989. [View Abstract](#)

Hughes PF, Eaves CJ, Hogge DE, & **Humphries RK**. High-efficiency gene transfer to human hematopoietic cells maintained in long-term marrow culture. *Blood* 74 (6): 1915-22, 1989. [View Abstract](#)

Szilvassy SJ, Fraser CC, Eaves CJ, Lansdorp PM, Eaves AC, & **Humphries RK**. Retrovirus-mediated gene transfer to purified hemopoietic stem cells with long-term lympho-myelopoietic repopulating ability. *Proc Natl Acad Sci U S A* 86 (22): 8798-802, 1989. [View Abstract](#)

Szilvassy SJ, Lansdorp PM, **Humphries RK**, Eaves AC, & Eaves CJ. Isolation in a single step of a highly enriched murine hematopoietic stem cell population with competitive long-term repopulating ability. *Blood* 74 (3): 930-9, 1989. [View Abstract](#)

Turhan AG, **Humphries RK**, Phillips GL, Eaves AC, & Eaves CJ. Clonal hematopoiesis demonstrated by X-linked DNA polymorphisms after allogeneic bone marrow transplantation. *N Engl J Med* 320 (25): 1655-61, 1989. [View Abstract](#)

Fraser C, **Humphries RK**, & Mager DL. Chromosomal distribution of the RTVL-H family of human endogenous retrovirus-like sequences. *Genomics* 2 (4): 280-7, 1988. [View Abstract](#)

Humphries RK, Abraham S, Krystal G, Lansdorp P, Lemoine F, & Eaves CJ. Activation of multiple hemopoietic growth factor genes in Abelson virus-transformed myeloid cells. *Exp Hematol* 16 (9): 774-81, 1988. [View Abstract](#)

Lemoine FM, **Humphries RK**, Abraham SD, Krystal G, & Eaves CJ. Partial characterization of a novel stromal cell-derived pre-B-cell growth factor active on normal and immortalized pre-B cells. *Exp Hematol* 16 (8): 718-26, 1988. [View Abstract](#)

Lemoine FM, Krystal G, **Humphries RK**, & Eaves CJ. Autocrine production of pre-B-cell stimulating activity by a variety of transformed murine pre-B-cell lines. *Cancer Res* 48 (22): 6438-43, 1988. [View Abstract](#)

Turhan AG, Eaves CJ, Kalousek DK, Eaves AC, & **Humphries RK**. Molecular analysis of clonality and bcr rearrangements in Philadelphia chromosome-positive acute lymphoblastic leukemia. *Blood* 71 (5): 1495-8, 1988. [View Abstract](#)

Turhan AG, **Humphries RK**, Cashman JD, Cuthbert DA, Eaves CJ, & Eaves AC. Transient suppression of clonal hemopoiesis associated with pregnancy in a patient with a myeloproliferative disorder. *J Clin Invest* 81 (6): 1999-2003, 1988. [View Abstract](#)

Hogge DE, & **Humphries RK**. Gene transfer to primary normal and malignant human hemopoietic progenitors using recombinant retroviruses. *Blood* 69 (2): 611-7, 1987. [View Abstract](#)

Wong PM, **Humphries RK**, Chen TR, & Eaves CJ. Evidence for a multistep pathogenesis in the generation of tumorigenic cell lines from hemopoietic colonies exposed to Abelson virus in vitro. *Exp Hematol* 15 (3): 280-7, 1987. [View Abstract](#)

Dover GJ, **Humphries RK**, Moore JG, Ley TJ, Young NS, Charache S, & Nienhuis AW. Hydroxyurea induction of hemoglobin F production in sickle cell disease: relationship between cytotoxicity and F cell production. *Blood* 67 (3): 735-8, 1986. [View Abstract](#)

Moore JG, **Humphries RK**, Frank MM, & Young N. Characterization of the hematopoietic defect in paroxysmal nocturnal hemoglobinuria. *Exp Hematol* 14 (3): 222-9, 1986. [View Abstract](#)

Anderson WF, Goldberg S, Kantoff P, Berg P, Eglitis M, & **Humphries RK**. Attempts at gene therapy in beta-thalassemic mice. *Ann N Y Acad Sci* 445: 445-51, 1985. [View Abstract](#)

Dover GJ, **Humphries RK**, Young N, Ley T, Boyer S, Charache S, & Nienhuis A. Pharmacologic manipulation of fetal hemoglobin synthesis. *Prog Clin Biol Res* 191: 447-54, 1985. [View Abstract](#)

Greenberger JS, **Humphries RK**, Messner H, Reid DM, & Sakakeeny MA. Molecularly cloned and expressed murine T-cell gene product is biologically similar to interleukin-3. *Exp Hematol* 13 (4): 249-60, 1985. [View Abstract](#)

Humphries RK, Berg P, DiPietro J, Bernstein S, Baur A, Nienhuis AW, & Anderson WF. Transfer of human and murine globin-gene sequences into transgenic mice. *Am J Hum Genet* 37 (2): 295-310, 1985. [View Abstract](#)

Humphries RK, Dover G, Young NS, Moore JG, Charache S, Ley T, & Nienhuis AW. 5-Azacytidine acts directly on both erythroid precursors and progenitors to increase production of fetal hemoglobin. *J Clin Invest* 75 (2): 547-57, 1985. [View Abstract](#)

Karlsson S, **Humphries RK**, Gluzman Y, & Nienhuis AW. Transfer of genes into hematopoietic cells using recombinant DNA viruses. *Proc Natl Acad Sci U S A* 82 (1): 158-62, 1985. [View Abstract](#)

Nienhuis AW, Ley TJ, **Humphries RK**, Young NS, & Dover G. Pharmacological manipulation of fetal hemoglobin synthesis in patients with severe beta-thalassemia. *Ann N Y Acad Sci* 445: 198-211, 1985. [View Abstract](#)

Chen MJ, Shimada T, Moulton AD, Cline A, **Humphries RK**, Maizel J, & Nienhuis AW. The functional human dihydrofolate reductase gene. *J Biol Chem* 259 (6): 3933-43, 1984. [View Abstract](#)

Humphries RK, Ley TJ, Anagnou NP, Baur AW, & Nienhuis AW. Beta O-39 thalassemia gene: a premature termination codon causes beta-mRNA deficiency without affecting cytoplasmic beta-mRNA stability. *Blood* 64 (1): 23-32, 1984. [View Abstract](#)

Humphries RK, & Young N. Aplastic anemia and stem cell biology. *Prog Clin Biol Res* 148: 3-12, 1984. [View Abstract](#)

Young N, Harrison M, Moore J, Mortimer P, & **Humphries RK**. Direct demonstration of the human parvovirus in erythroid progenitor cells infected in vitro. *J Clin Invest* 74 (6): 2024-32, 1984. [View Abstract](#)

Young NS, Moore JG, & **Humphries RK**. The human parvovirus and in vitro hematopoietic colony formation. *Prog Clin Biol Res* 148: 129-39, 1984. [View Abstract](#)

Young NS, Mortimer PP, Moore JG, & **Humphries RK**. Characterization of a virus that causes transient aplastic crisis. *J Clin Invest* 73 (1): 224-30, 1984. [View Abstract](#)

Zoumbos NC, Ferris WO, Hsu SM, Goodman S, Griffith P, Sharrow SO, **Humphries RK**, Nienhuis AW, & Young N. Analysis of lymphocyte subsets in patients with aplastic anaemia. *Br J Haematol* 58 (1): 95-105, 1984. [View Abstract](#)

Cashman J, Henkelman D, **Humphries K**, Eaves C, & Eaves A. Individual BFU-E in polycythemia vera produce both erythropoietin dependent and independent progeny. *Blood* 61 (5): 876-84, 1983. [View Abstract](#)

Dean A, Ley TJ, **Humphries RK**, Fordis CM, Jr., & Schechter AN. Abundance and structure of globin mRNA in K562 human leukemia cells. *Prog Clin Biol Res* 134: 323-34, 1983. [View Abstract](#)

Dean A, Ley TJ, **Humphries RK**, Fordis M, & Schechter AN. Inducible transcription of five globin genes in K562 human leukemia cells. *Proc Natl Acad Sci U S A* 80 (18): 5515-9, 1983. [View Abstract](#)

Goldsmith ME, **Humphries RK**, Ley T, Cline A, Kantor JA, & Nienhuis AW. "Silent" nucleotide substitution in a beta+ thalassemia globin gene activates splice site in coding sequence RNA. *Proc Natl Acad Sci U S A* 80 (8): 2318-22, 1983. [View Abstract](#)

Greenberger JS, Sakakeeny MA, **Humphries RK**, Eaves CJ, & Eckner RJ. Demonstration of permanent factor-dependent multipotential (erythroid/neutrophil/basophil) hematopoietic progenitor cell lines. *Proc Natl Acad Sci U S A* 80 (10): 2931-5, 1983. [View Abstract](#)

Humphries RK, Ley T, Goldsmith ME, Kantor JA, Cline AC, & Nienhuis AW. "Silent" nucleotide substitution in codon 24 of a beta+ thalassemia globin gene activates splice site in coding sequence RNA. *Prog Clin Biol Res* 134: 123-6, 1983. [View Abstract](#)

Mortimer PP, **Humphries RK**, Moore JG, Purcell RH, & Young NS. A human parvovirus-like virus inhibits haematopoietic colony formation in vitro. *Nature* 302 (5907): 426-9, 1983. [View Abstract](#)

Humphries RK, Ley T, Turner P, Moulton AD, & Nienhuis AW. Differences in human alpha-, beta- and delta-globin gene expression in monkey kidney cells. *Cell* 30 (1): 173-83, 1982. [View Abstract](#)

Ley TJ, DeSimone J, Anagnou NP, Keller GH, **Humphries RK**, Turner PH, Young NS, Keller P, & Nienhuis AW. 5-azacytidine selectively increases gamma-globin synthesis in a patient with beta+ thalassemia. *N Engl J Med* 307 (24): 1469-75, 1982. [View Abstract](#)

Humphries RK, Eaves AC, & Eaves CJ. Self-renewal of hemopoietic stem cells during mixed colony formation in vitro. *Proc Natl Acad Sci U S A* 78 (6): 3629-33, 1981. [View Abstract](#)

Eaves CJ, **Humphries RK**, & Eaves AC. Marrow flask cultures—a system for examining early erythropoietic differentiation events. *Blood Cells* 5 (3): 377-87, 1979. [View Abstract](#)

Humphries RK, Eaves AC, & Eaves CJ. Characterization of a primitive erythropoietic progenitor found in mouse marrow before and after several weeks in culture. *Blood* 53 (4): 746-63, 1979. [View Abstract](#)

Humphries RK, Jacky PB, Dill FJ, Eaves AC, & Eaves CJ. CFU-S in individual erythroid colonies derived in vitro from adult mouse marrow. *Nature* 279 (5715): 718-20, 1979. [View Abstract](#)

Humphries RK, & Miller RG. Volume analysis of human peripheral blood leukocytes. *Ser Haematol* 5 (2): 142-62, 1972. [View Abstract](#)